

Ref. No.- ISKCON/EC Compliance/2023-24/03

Dated: 08-02-2024

To,
The Integrated Regional Office,
MOEF, Aranya Bhawan, North Block,
Sector-19, Naya Raipur, Atal Nagar,
Raipur Chhattisgarh
E-mail: iroraipur@gmail.com
iro.raipur-me-fcc@gov.in

Sub. : Submission of six monthly EC-compliance report for the period April to September 2023.

Ref. : Environmental Clearance vides F. No. 346/SEIAA.,C.G./IND.RO/Raipur/628, Atal Nagar, dated 07th December, 2018.

Respected Sir,

With reference to our above Environment Clearance, we are submitting herewith point wise six monthly compliance report for our EC Ref. No. - 346/SEIAA.,C.G./IND.RO/Raipur/628, Atal Nagar, dated-07th December, 2018 for the period April to September 2023.

Thanking you,

Yours faithfully

For, Iskcon Strips Pvt. Ltd.
For, Iskcon Strips Pvt. Ltd.

[Director]

J. J. S.
Director

Enclosure:

1. Six Monthly EC-Compliance for the period April to September 2023.

**SIX MONTHLY
EC COMPLIANCE REPORT**

For

EC Reference No.

346/SEIAA.,C.G./IND.RO/Raipur/628, Atal Nagar

Dated- 07th December, 2018.

Period (APRIL TO SEPTEMBER 2023)

Of

MANUFACTURING THROUGH BILLET RE-HEATING FURNACE RE-ROLLED STEEL PRODUCT CAPACITY – 30,000 to 50,000 TON/YEAR (AFTER CAPACITY EXPANSION) ALONG WITH AS PER CONSENT TO OPERATE, Reference No.-3787/RO/TS/CECB/2019 Raipur, dated-17/12/2019, PIPES AND M.S. PIPES, CAPACITY-90,000 TON/YEAR.

Location of Unit

Khasra No. 469/6, 469/7 & 469/8, Village – Guma, Tehsil & District – Raipur, State - Chhattisgarh

As per

Project Proponent:

M/S. ISKCON STRIPS PRIVATE LIMITED

FEBRUARY-2024

CONTENT

INTRODUCTION.....1

COMPLIANCE STATUS.....1

LIST OF ANNEXURE

Sr. No.	Particular	Page. No.
ANNEXURE-1	Copy of consent to operate	13-14
ANNEXURE-2	NOC form CGWA	15-17
ANNEXURE-3	Copy of Hazardous and Other Waste	18-21
ANNEXURE-4	Photograph of to SPCB online server	22
ANNEXURE-5	Monitoring Report of Stack and Stack data	23-26
ANNEXURE-6	Monitoring Report of Fugitive Emissions	27
ANNEXURE-7	Photograph of AAQ monitoring station	28
ANNEXURE-8	Monitoring Report of Ambient Air Quality (AAQ)	29-32
ANNEXURE-9	Photograph of Air pollution control Device	33
ANNEXURE-10	Photograph of water sprinkler	34
ANNEXURE-11	Photograph of covered truck	35
ANNEXURE-12	Photograph of covered shed of raw material	36
ANNEXURE-13	Monitoring Report of Ground Water Quality	37-40
ANNEXURE-14	Photograph of Rainwater Harvesting System	41
ANNEXURE-15	Monitoring Report of Noise level Survey	42
ANNEXURE-16	Photograph of solar power generation panel	43
ANNEXURE-17	Copy of Tax Invoice of Solid Waste	44-46
ANNEXURE-18	Photograph of Green Belt	47
ANNEXURE-19	copy of onsite emergency plan	48
ANNEXURE-20	Photograph of workmen with PPE Kit	49
ANNEXURE-21	Occupational health surveillance of workers	50-54
ANNEXURE-22	Copy of environment policy	55-57
ANNEXURE-23	Copy of EMC	58
ANNEXURE-24	Step towards compliance of CREP Guideline	69-60
ANNEXURE-25	Copy of Local People employment	61
ANNEXURE-26	Photograph of advertise in local news paper	62

INTRODUCTION

M/s. Iskcon Strips Private Limited is manufacturing re-rolled steel product capacity–30,000–50,000 Ton/Year through billet re-heating furnace fired with Coal as fuel as per environmental clearance vide letter No. F.No. 346/SEIAA., C.G/IND.RO/Raipur/628, Atal Nagar, dated- 07th December, 2018. and consent to operate reference no.- 3787 /RO/TS/CECB/2019 Raipur, dated-17/12/2019, Pipes and M.S. Pipes, capacity-90,000 Ton/Year, at Khasra No. 469/6, 469/7 & 469/8, in 1.207 Ha.(2.98 Acre) Village–Guma, Tehsil & District–Raipur, State–Chhattisgarh.

This plant having obtained environmental clearance vide letter No. F. No. 346/SEIAA., C.G/IND.RO/Raipur/628, Atal Nagar, dated- 07th December, 2018. EC Conditions compliance status and Environmental monitoring reports for the period of April to September-2023 is given below:

Compliance Status of conditions stipulated in Environmental Clearance of **M/s. Iskcon Strips Private Limited** are given below:

COMPLIANCE STATUS

S. No.	EC Conditions	Action Taken
1.	Statutory Compliance	
i	The project proponent shall obtain Consent to Establish / Operate under the provisions of the Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Chhattisgarh Environment Conservation Board (CECB).	<p>We have complied with this condition.</p> <p>We have obtained Consent to Operate Air & Water under the Vide letter No.</p> <p>1. 7161/RO/TS/CECB/2019, dated 13.02.2019.</p> <p>2. Renewal -3787/RO/TS/CECB/2019, RAIPUR, Dated:- 17/12/2019e. renewed for a period of ten years i.e from 01.02.2020 to 31.01.2030</p> <p>We are enclosing copy of CTO as Annexure-1</p>
ii	The project proponent shall obtain all necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.	<p>We have complied with this condition.</p> <p>We have obtained NOC from the Central Ground Water Authority. NOC No. CGWA/NOC/IND/REN/1//2023/8676, Valid from dated-02/12/2023 Valid up to-01/12/2026. We are enclosing copy of permission from CGWA as Annexure-2</p>
iii	The project proponent shall obtain authorization under the Hazardous and Other Waste Management Rules 2016 as amended from time to time.	<p>We have complied with this condition.</p> <p>We have obtained authorization under the Hazardous and Other Waste. Vide letter No.- 8143/HSMD/HO/CECB/2023 Nava Raipur, Date-17.02.23, valid from 16.02.23 to 15.02.28.</p> <p>We are enclosing copy of authorization of Hazardous and Other Waste as Annexure-3</p>

2. Air Quality Monitoring and Preservation																	
i	The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277(E) dated 31 st March, 2012 (applicable to IF/EAF) as amended from time to time; and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	<p>We have complied with this condition.</p> <p>We have installed a 24x7 continuous stack emission monitoring system at process stacks to monitor stack emission and connected to SPCB servers.</p> <p>Enclosed Photograph of to SPCB online server as Annexure-4</p> <p>We are enclosing monitoring report of stack & server data as Annexure-5</p>															
ii	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	<p>We have complied with this condition.</p> <p>We have made pucca road in the plant premises and regular water is sprinkled on the road along with it open areas has been floored or plantation done to settle fugitive emissions. We are enclosing fugitive emissions monitoring report as Annexure-6</p>															
iii	The project proponent shall make provision for carryout Ambient Air Quality monitoring for common / criterion parameters relevant to the main pollutant released (e.g. PM ₁₀ and PM _{2.5} in reference to PM emission, and SO ₂ and NO _x in reference to SO ₂ and NO _x emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.	<p>We have complied with this condition.</p> <p>We have installed AAQ monitoring station.</p> <p>We are enclosing photograph of AAQ monitoring station as Annexure-7</p> <p>We are enclosing Ambient Air Quality (AAQ) monitoring report as Annexure-8</p> <table border="1"> <thead> <tr> <th></th> <th>Max.</th> <th>Min.</th> </tr> </thead> <tbody> <tr> <td>PM₁₀</td> <td>84.16</td> <td>72.15</td> </tr> <tr> <td>PM_{2.5}</td> <td>40.12</td> <td>32.90</td> </tr> <tr> <td>SO₂</td> <td>20.36</td> <td>15.91</td> </tr> <tr> <td>NO_x</td> <td>20.29</td> <td>23.07</td> </tr> </tbody> </table>		Max.	Min.	PM ₁₀	84.16	72.15	PM _{2.5}	40.12	32.90	SO ₂	20.36	15.91	NO _x	20.29	23.07
	Max.	Min.															
PM ₁₀	84.16	72.15															
PM _{2.5}	40.12	32.90															
SO ₂	20.36	15.91															
NO _x	20.29	23.07															
iv	The project proponent shall provide adequate air pollution control arrangements at all point and non-point sources. Collecting hoods with bag filters of adequate capacity and high efficiency shall be installed in induction furnace(s) with minimum 30 meter stack height to ensure particulate matter emission less than 30 mg/Nm ³ all the time. Wet scrubber or adequate capacity and high efficiency shall be installed in re-heating furnace of re-rolling mill with minimum 30 meter stack height to ensure particulate matter emission less than 30 gm/Nm ³ all the time. The project proponent shall provide leakage detection and mechanized bag cleaning facilities of bags.	<p>We have complied with this condition.</p> <p>We have installed wet scrubber of adequate capacity with I.D. Fan in re-heating furnace of re-rolling mill which is connected with 30m height stack and maintaining 30 mg/Nm³ particulate matter emission. Pollution control system working in good running condition.</p>															

	<p>Project proponent shall install suitable & effective air pollution control equipments at all transfer points, junction points etc. also. All the conveying system, transfer point, junction point etc. shall be covered. Adequate provision shall be made for sprinkling of water at strategic locations to ensure dust does not get air borne. For controlling fugitive dust, regular sprinkling of water in vulnerable areas of the plant shall be ensured. Proper ventilation shall also be provided in induction furnace plant. All air pollution control systems shall be kept in good running condition all the time and failure (if any), shall be immediately rectified without delay; otherwise, similar alternate arrangement shall be made. In the event of any failure of any pollution control system adopted by the Project proponent, the respective production unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. As per proposal submitted emission of pollutants from any point source shall not exceed the following limit: -</p> <table border="1" data-bbox="260 965 861 1072"> <tr> <td data-bbox="260 965 467 1072">Particulate Matter</td> <td data-bbox="467 965 861 1072">30 mg/Nm³ (Thirty Milligram per Normal Cubic Meter)</td> </tr> </table> <p>Project proponent shall provide proper space provision for further retrofitting of air pollution control systems in case of further stringency of particulate matter emission limit. The height of any other stack(s) shall not be less than 30 meters.</p>	Particulate Matter	30 mg/Nm ³ (Thirty Milligram per Normal Cubic Meter)	<p>We are enclosing photograph Air pollution control device as Annexure-9</p> <p>We have made arrangement of sprinkling of water for controlling fugitive dust on road and vulnerable areas of the plant.</p> <p>We are enclosing photograph of water sprinkler system as Annexure-10</p> <p>We have made arrangement of proper ventilation system in the Rolling Mill area.</p>
Particulate Matter	30 mg/Nm ³ (Thirty Milligram per Normal Cubic Meter)			
v	<p>The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of Ministry of Environment, Forest and Climate Change, Raipur, Zonal office of CPCB and Regional Office of Chhattisgarh Environment Conservation Board (CECB) along with six- monthly monitoring report.</p>	<p>We have complied with this condition.</p> <p>We are submitting summary report of online stack data, stack monitoring & fugitive emissions monitoring report.</p> <p>monitoring report of stack & server data as Annexure-5</p> <p>fugitive emissions monitoring as Annexure-6</p>		
vi	<p>Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.</p>	<p>We have complied with this condition.</p> <p>We have portable stationery vacuum cleaners to clean plant roads, shop floors, roofs, regularly.</p>		
vii	<p>Recycle and reuse iron ore fines and such other fines collected in the pollution control devices and vacuum cleaning devices in the process.</p>	<p>We are not using iron ore and such other fines.</p>		

viii	The project proponent shall use mechanically covered leak proof trucks / dumpers vehicles for transportation of raw materials.	We have complied with this condition. The raw material is being transported through properly covered (through tarpaulin) manner. We are enclosing photograph of covered vehicle as Annexure-11
ix	At entry and exit point of plant, wheel wash system shall be provided to control wheel generated dust.	We will comply with this condition. We will install vehicle wheel wash system as soon as possible at entry and exit point of plant.
x	Provision for monitoring of vehicles by installation of closed circuit cameras (CCTv) at suitable locations i.e. entry gate, weigh bridge, internal parking area etc. shall also be made to ensure the incoming and outgoing vehicles are mechanically covered.	We have complied with this condition. We have installed CCTv cameras at suitable locations i.e. entry gate, weigh bridge etc. and cover to incoming and outgoing covered vehicles of raw material and finish good.
xi	The project proponent shall provide covered sheds for raw materials like scrap and sponge iron etc.	We have complied with this condition. We have provided cover shed for coal and finish goods. We are enclosing photograph of covered shed of raw material as Annexure-12
3	Water Quality Monitoring and Preservation	
i	The project proponent shall provide adequate facility for proper treatment of industrial effluent and domestic effluent. Sewage Treatment arrangement shall be provided for treatment of domestic effluent to meet the prescribed standards. Project proponent shall ensure the treated effluent quality within standard prescribed by Ministry of Environment, Forest and Climate Change, Government of India under G.S.R 277(E) dated 31 st March 2012 (applicable to IF/EAF) as amended from time to time. No effluent shall be discharged out of plant premises under any circumstances. Any liquid effluent what so ever generated shall not be discharged into the river or any surface water bodies under any circumstances, and it shall be reused wholly in the process / plantation within plant area. Adhere to 'Zero Liquid Discharge'.	We have complied with this condition. There is no process water required. Water is required for cooling purpose. For cooling we have adopted closed circuit cooling system. so there is no industrial effluent generation. No effluent is discharged out of plant premises or into the river or any surface water bodies. We are maintaining 'Zero Liquid Discharge'
ii	The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers / sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	We have complied with this condition. We have monitored ground water quality from third party through NABL accredited laboratories. We are enclosing copy of ground water quality monitoring report as Annexure-13

iii	The project proponent shall submit monthly summary report of effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Integrated Regional Office of Ministry of Environment, Forest and Climate Change, Raipur, Zonal office of CPCB and Regional Office of Chhattisgarh Environment Conservation Board (CECB) along with six-monthly monitoring report.	We have complied with this condition. Enclosed ground water quality monitoring report as Annexure-13
iv	Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.	We have complied with this condition. We have constructed water Garland drains inside the plant premises.
v	The project proponent shall practice rainwater harvesting to maximum possible extent.	We have complied with this condition. We have constructed two Rainwater Harvesting (RWH) system in the plant Premises. We are enclosing photograph of Rainwater Harvesting System as Annexure-14
vi	The project proponent shall make efforts to minimize water consumption in the plant by segregation of used water, practicing cascade use and by recycling treated water.	We are making best efforts to comply with this condition. We are using close circuit cooling system, which result in minimization of water consumption in the plant.
4. Noise Monitoring and Prevention		
i	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Integrated Regional Office of the Ministry of Environment, Forest and Climate Change, Raipur as a part of six-monthly compliance report.	We have complied with this condition. Noise level monitoring has been done from third party through recognized laboratory. We are enclosing copy of noise level monitoring report as Annexure-15
ii	The ambient noise levels should conform to the standards prescribed under Environment (Protection) Rules, 1986 viz. 75 dB (A) during day time and 70 dB (A) during night time.	We have complied with this condition. For controlling ambient noise levels we have implement this- <ul style="list-style-type: none"> • DG sets are provided with acoustic enclosures. • Use of Ear muffs/Ear plugs in high noisy areas. We are maintaining ambient noise level to conform to the standards prescribed under Environment (Protection) Rules, 1986 viz. 75 dB (A) during day time and 70 dB (A) during night time.

5. Energy Conservation Measures		
i	Project Proponent shall provide waste heat recovery system (Pre-Heating of combustion air) at the flue gases of reheating furnaces.	We have complied with this condition. We have installed recuperator for waste heat recovery from the hot flue gases of reheating furnace in the Rolling Mill.
ii	Ensure installation of regenerative type burners on all reheating furnace(s). The project proponent shall not utilize any solid fuel such as coal as fuel directly in the reheating furnace. Only gas from producer gas plant shall be used in reheating furnace as a fuel. No additional reheating furnace(s) shall be installed.	We have complied with this condition. We have installed clean technology gassifier based reheating furnace and installed PG gas with preheated air type burners on it. We have not installed any additional re-heating furnace.
iii	Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.	We have complied with this condition. We have installed solar power generation panel on the Roof top of the admin. building. We are enclosing photograph of solar power generation panel as Annexure-16
iv	The project proponent shall ensure use of LED lights in their offices and residential areas.	We have complied with this condition. We are using LED light in the office building.
6. Waste Management		
i	The project proponent shall take effective steps for safe disposal of solid wastes and sludge. Furnace slag shall be sold to slag crushing units. Mill scales shall be sold to sinter plant/Ferro Alloys/Casting Units. Only sludge shall be sold to authorized recyclers / re-processors for proper disposal through incineration.	We have complied with this condition. We have taken take effective steps for safe disposal of solid wastes and sludge 1. Mill scale is sold to ferro-alloys manufacturing units. 2. Coal ash is send to brick manufacturing units. 3. Sludge shall be sold to authorized recyclers. We are enclosing Tax Invoice of Solid Waste as Annexure-17
ii	Used refractories shall be recycled as far as possible.	We have complied with this condition. We have maximum re-cycled used refractory as far as possible. Waste refractory is sold to refractory units
iii	Oily scum and metallic sludge recovered from Rolling Mill ETP shall be mixed, dried, briquetted and reused in melting furnace.	We have complied with this condition.

	iv	The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016.	We have complied with this condition. As per the Hazardous & Other Waste rules 1. Used or spent oil sold to authorize recyclers. 2. Oily sludge is sold to authorized recyclers / re-processors for proper disposal. 3. Waste oil and lubricant are sold to authorize re-cyclers. Enclosed authorization of Hazardous and Other Waste as Annexure-3
	v	The project proponent shall utilize fly ash bricks / blocks etc. in all construction activities.	We have complied with this condition. We have used fly ash bricks and blocks etc. for any kind of construction activity like labor quarter, making boundary wall, channel in plant premises, canteen, toilet, etc. in the plant premises.
	vi	Kitchen waste (if any) shall be composted or converted to biogas for further use.	Not much kitchen waste is generated in the plant so we spread generated kitchen waste in the plantation area for composting and application to the trees.
7.	Green Belt		
	i	Green belt shall be developed in an area equal to 33% plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant. As far as possible maximum area of open spaces shall be utilized for plantation purposes.	We have complied with this condition. We have developed green belt 33% of the plant area with a native tree species in accordance with CPCB guidelines. We have planted a 1050 trees with native species in the green belt. We are enclosing Photograph of Green Belt and copy of purchase plants as Annexure-18
	ii	The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.	We will comply with this condition.
8.	Human health Issues		
	i	Emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	We are complying with this condition. We have prepared Emergency plan as per Industrial Health and safety department rules and regulations. We are enclosing copy of onsite emergency plan as Annexure-19
	ii	The project proponent shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.	We have complied with this condition. We have analysis heat stress and provided PPE kit, hand gloves shoes, glasses etc. for workmen who work in high temperature work zone. We are enclosing photograph of workmen with PPE Kit as Annexure-20

iii	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	We have complied with this condition. Provision had been made for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, toilets, safe drinking water, medical health care, creche etc. Housing is not required as We have deployed local person for construction activity inside the plant premises.
iv	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	We have complied with this condition. We have done Occupational health surveillance of the workers on a regular basis and records maintained. We are enclosing report of Occupational health surveillance of workers as Annexure-21

9. Corporate Environment Responsibility

i	The project proponent shall comply with the provisions of the Ministry of environment, Forest and Climate Change, New Delhi OM vide F.No.22-65/2017-IA-III dated 1 st may 2018, as applicable, regarding Corporate Environment Responsibility, Project Proponent shall made CER fund as follows :			We have complied with this condition. We are actively involved in CER activity corporate Environment Responsibility (CER) activities as per rules are undertaken collectively by our corporate office.	
	Add itio nal Cap ital Inve stm ent (in Lak h)	Perc enta ge of Capi tal Inve stm ent to be Spen t	Amo unt Req uired for CER Acti vitie s (in Lak h Rs.)	Amount Proposed & Details for CER Activities (in Lakh Rs.)	CER Fun d Alloc ation (in Lak h)
				Particulars	
				Following activities at Government H.S. School, Village -Guma	
	Rs. 185	1%	Rs1. 85	Rain water Harvesting structure at suitable capacity	3.00
				Water arrangement for Toilet	
				RO water Purifier installation for drinking	
				Grand Total	3.0
				A. Government H.S. School, Village –Guma	
				1. Drinking Water 2. Installed RO in School. 3. Provided a rainwater harvesting system. 4. Toilet 5. Water drainage system 6. School building painting. 7. Art work with slogan in school boundary.	
				B. Government Middle. School, Village – Guma	
				1. Drinking Water 2. Water Drainage System 3. Rainwater Harvesting 4. Toilet	

ii	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements / deviation / violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / shareholders / stakeholders. The copy of the board resolution in this regard shall be submitted to the Ministry of Environment, Forest and Climate Change, New Delhi / SEIAA, Chhattisgarh as a part of six-monthly report.	We have complied with this condition. We have made environmental policy duly approved by the Board of Directors. We are enclosing copy of environment policy as Annexure-22
iii	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of Senior Executive, who will directly to the head of the organization.	We have complied with this condition. We have established an environmental management cell (EMC), under qualified leadership, who are directly reporting to the head of the organization. We are enclosing copy of Environmental Management Cell (EMC) as Annexure-23
iv	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Regional Office, Ministry of Environment, Forest and Climate Change, Raipur / SEIAA, Chhattisgarh along with the Six Monthly Compliance Report.	We have complied with this condition. Adequate funds are provided for compliance of EMP, we have implemented following, 1. Wet scrubber 2. Chimney 3. Online stack monitoring system 4. AAQ Monitoring Station 5. Closed circuit cooling system 6. Water sprinkler 7. Internal Pucca road and fugitive dust control 8. Noise controlling measure have been taken. 9. Garland drain. 10. Regular third party monitoring done. 11. Developed Green Belt. 12. Zero discharge is maintained 13. Rain Water harvesting is done
v	Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.	We will comply with this condition. Third Party audit will be done every third years

	vi	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants (if any) shall be implemented.	We have complied with this condition. We are enclosing details of steps taken towards compliance of CREP guideline as Annexure-24
10	Miscellaneous		
	i	No additional land shall be acquired for this project.	We have complied with this condition.
	ii	Local persons shall be given employment during development and operation of the plant.	We have complied with this condition. We are giving priority to local people based on their qualifications to give employment. Enclosed copy of local people employment as Annexure-25
	iii	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently	We have complied with this condition. We have given advertising in local newspapers of the District. 1. Amrit Sandesh-21.12.2018 We are enclosing photograph of advertising in local newspaper as Annexure-26
	iv	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of Local Bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	We have complied with this condition.
	v	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions , including results of monitored data on their website and update the same on half-yearly basis.	We have complied with this condition. We have uploaded the status of compliance of the stipulated environment clearance conditions, including results of monitored data on our website- www.iskconstrips.com
	vi	The project proponent shall monitor the criteria pollutants level namely; PM ₁₀ , SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters (if any), indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company	We will comply with this condition . We will provided a display board at at a convenient location for disclosure to the public and put on the website of the company.

vii	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	We will comply with this condition.
viii	The project proponent shall submit the environmental statement for each financial year in Form-V to Chhattisgarh Environment Conservation Board (CECB) as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company. The project proponent shall inform the Integrated Regional Office, Ministry of Environment, Forest and Climate Change, Raipur as well as SEIAA, Chhattisgarh the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	We have complied with this condition.
ix	The project authorities must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and the State Government.	We agree to it.
x	The project proponent shall abide by all the commitments and recommendations made in the EIA / EMP report and also that during their presentation to the State Expert Appraisal Committee.	We agree to it.
xi	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change, New Delhi / SEIAA, Chhattisgarh.	We agree to it. We have not done any expansion or modifications in the plant.
xii	Concealing factual data or submission of false / fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	We agree to it.
xiii	SEIAA, Chhattisgarh may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	We agree to it.
xiv	SEIAA, Chhattisgarh reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	We agree to it.

xv	The Integrated Regional Office Ministry of Environment, Forest and Climate Change, Raipur shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	We agree to it.
xvi	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	We agree to it.
xvii	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	We agree to it.

Date :- 31.01.24

Place :- Raipur

For, M/s. Iskcon Strips Private Limited
For, *Iskcon Strips Pvt. Ltd.*

(Director) 
Director

ANNEXURE-1

COPY OF CONSENT TO OPERATE



REGIONAL OFFICE
C.G. Environment Conservation Board
Commercial Complex, C.G. Housing Board Colony, Kabir Nagar, Raipur (C.G.)

No 3787 /RO/TS/CECB/2019 Raipur, dated 17 / 12 /2019
To,
M/s Iskcon Strips Pvt. Ltd.
Kh.No. - 469/(6-8), Village - Guma
Teh. & Dist. - Raipur (C.G.)
Sub :- Renewal of consent of the Board under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981.
Ref :- 1 Consent of the Board u/s 25 of the Water (Prevention & Control of Pollution) Act, 1974 and Consent of the Board u/s 21 of the Air (Prevention & Control of Pollution) Act, 1981 vide letter no. 7161/RO/TS/CECB/2019, dated 13.02.2019.
2 Your On-line Auto Renewal application no. 4455984, dated 09.12.2019.

With reference to your application consent under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 are hereby renewed for a period of ten years i.e. from **01.02.2020 to 31.01.2030** subject to the fulfillment of the terms & condition incorporated in the water consent and air consent L.No. 7161/RO/TS/CECB/2019, dated 13.02.2019 and subsequent renewals/amendments issued by the Board and additional conditions mentioned below:-

This Renewal of consent is valid for product and production capacity of-

	Name of Product		Production Capacity
1	Through Billet Re-Heating Furnace	☉	50,000 Ton/Year
	Re-Rolled Steel Products		(Fifty Thousand Ton Per Year)
2	Pipes & MS Pipes	☉	90,000 Ton/Year
			(Ninety Thousand Ton Per Year)

Additional condition:-

A. Water (Prevention & Control of Pollution) Act, 1974 :-

1. The industry shall operate and maintain the pollution control facilities regularly to ensure the treated effluent quality within the prescribed standard all the time.
2. Industry shall do extensive tree plantation inside and outside the factory premises.
3. All the solid wastes generated from the plant shall be disposed off in safe and scientific method.
4. Good House keeping practices shall be adopted by the industry.
5. This renewal of consent is being issued under the "Scheme Of Auto-Renewal of Consent" of the Board issued vide office order no. 5734 dated 24/02/2016 as per self certificate submitted by authorized signatory Mr. Panna Lal Bansal, Director of M/s Iskcon Strips Pvt. Ltd., Kh.No. - 469/(6-8), Village - Guma, Teh. & Dist. - Raipur (C.G.).
6. Chhattisgarh Environment Conservation Board reserves the rights to revoke the Consent at any time for any violation/non-compliance.
7. In case if the capital investment is increased by such amount that the total investment exceeds the range for which renewal fees has been paid, the industry shall have to pay the difference amount of renewal fees for the corresponding block years.
8. In case the prescribed fee payable is amended in future, the industry shall be liable to pay the difference amount for corresponding block years.

B. Air (Prevention & Control of Pollution) Act, 1981 :-

1. The industry shall operate and maintain the pollution control facilities regularly to ensure the Particulate Matter emission within prescribed standard all the time.
2. The ambient air quality within the premises shall be maintained within the prescribed standards all the time.
3. Industry shall do extensive tree plantation inside and outside the factory premises.
4. Good House keeping practices shall be adopted by the industry.
5. This renewal of consent is being issued under the "Scheme Of Auto-Renewal of Consent" of the Board issued vide office order no. 5734 dated 24/02/2016 as per self certificate submitted by authorized signatory Mr. Panna Lal Bansal, Director of M/s Iskcon Strips Pvt. Ltd., Kh.No. - 469/(6-8), Village - Guma, Teh. & Dist. - Raipur (C.G.).
6. Chhattisgarh Environment Conservation Board reserves the rights to revoke the Consent at any time for any violation/non-compliance.
7. In case if the capital investment is increased by such amount that the total investment exceeds the range for which renewal fees has been paid, the industry shall have to pay the difference amount of renewal fees for the corresponding block years.
8. In case the prescribed fee payable is amended in future, the industry shall be liable to pay the difference amount for corresponding block years.

For & on behalf of C.G. Environment Conservation Board

Regional Officer
Regional Office, C.G. Environment Conservation Board
Raipur (C.G.)

Signature valid

Digitally Signed by D. S. K
UPADHYAY

Date: 2019-12-17 16:03:36 IST



ANNEXURE-2

NOC FORM CGWA



भारत सरकार
जल संवर्धन, नदी विकास
और पर्यटन विभाग
केंद्रीय भूमि जल प्राधिकरण
Government of India
Ministry of Jal Shakti
Department of Water Resources,
River Development & Ganga Rejuvenation
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	Iskcon Strips Private Limited		
Project Address:	Village Guma, Post Tendua, Hirapur Road, Raipur		
Village:	Guma-2 (guma)	Block:	Dharsiwa
District:	Raipur	State:	Chhattisgarh
Pin Code:			
Communication Address:	Village Guma, Post Tendua, Hirapur Road, Raipur, Dharsiwa, Raipur, Chhattisgarh - 493221		
Address of CGWB Regional Office :	Central Ground Water Board North Central Chhattisgarh, 2nd Floor, Lk Corporate And Logistic Park, Dhamtari Road, Nh-30, Dumartarai, Raipur, Chhattisgarh - 492015		

1. NOC No.:	CGWA/NOC/IND/REN/1/2023/8676	2. Date of Issuance	07/12/2023									
3. Application No.:	21-4/525/CT/IND/2017	4. Category: (GWRE 2022)	Critical									
5. Project Status:	Existing Ground Water	6. NOC Type:	Renewal									
7. Valid from:	02/12/2023	8. Valid up to:	01/12/2026									
9. Ground Water Abstraction Permitted:												
Fresh Water		Saline Water		Dewatering		Total						
m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year	m ³ /day	m ³ /year					
25.00	8250.00											
10. Details of ground water abstraction /Dewatering structures												
Total Existing No.:1				Total Proposed No.:0								
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
Abstraction Structure*	0	0	1	0	0	0	0	0	0	0	0	0
*DW- Dig Well, DCB-Dug-cum-Bore Well, BW-Bore Well, TW-Tube Well, MP-Mine Pit,MPu-Mine Pumps												
11. Ground Water Abstraction/Restoration Charges paid (Rs.):				99000.00								
12. Environment Compensation (if applicable) paid (Rs.):				0.00								
13. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism,				No. of Piezometers		Monitoring Mechanism						
						Manual		DWLR**		DWLR With Telemetry		
**DWLR - Digital Water Level Recorder				1		1		0		0		

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, चान्दिवर रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 25385561 Fax: 25382051, 25386743

Website: cgwa.nic.gov.in

पानी बचाएँ, जीवन बचाएँ
SAVE WATER - SAVE LIFE

Water of the MHA will be used for agricultural purposes.

Key requirements:

1. The drilling and deepening of the well and the construction of the well shall be carried out strictly in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
2. A license shall be obtained from the State Government for the drilling and deepening of the well.
3. Construction of surface-bank stream bank (barrage) for ground water recharge shall be executed in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
4. Treatment and recharge of ground water for the concerned area shall be done. When water from bore well/river/irrigation canals will be used during drilling and deepening of the well, the MHA will have to be informed in advance and the necessary measures shall be taken to ensure that the water quality will be maintained in accordance with the Central Ground Water Act, 1986.
5. A copy of the drilling plan and the report of the well shall be submitted to the Director, GWD, Government of Haryana for approval before the drilling and deepening of the well.
6. The drilling and deepening of the well shall be carried out in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
7. The drilling and deepening of the well shall be carried out in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
8. Application for renewal can be submitted online from 30 days before the expiry of NDC. Ground water recharge, if any, after expiry of NDC shall be legal till the legal action is completed in accordance with the Central Ground Water Act, 1986.
9. The NDC is subject to existing Central State Government Rules, Orders and Government orders relating to construction of wells, ground water recharge, discharge of effluents and other matters relating to ground water.

General conditions:

11. No drilling and deepening of the well shall be carried out in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
12. The proposed drilling and deepening of the well shall be carried out in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
13. The proposed drilling and deepening of the well shall be carried out in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
14. The proposed drilling and deepening of the well shall be carried out in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
15. In case of violation of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010, the State Government shall take the necessary measures to ensure that the water quality will be maintained in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
16. Wherever the State Government has issued any order relating to the drilling and deepening of the well, the State Government shall take the necessary measures to ensure that the water quality will be maintained in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
17. Wherever the State Government has issued any order relating to the drilling and deepening of the well, the State Government shall take the necessary measures to ensure that the water quality will be maintained in accordance with the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
18. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
19. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
20. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
21. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
22. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
23. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
24. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
25. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
26. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
27. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
28. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
29. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
30. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
31. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.
32. The NDC shall be subject to the provisions of the Central Ground Water Act, 1986 and the Central Ground Water Rules, 2010.

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NDC and legal action against the proposer.)



18/11, जयनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Janmangar House, Mansingh Road, New Delhi-110011
Phone: (011) 23383561 Fax: 23382051, 23386743
Website: cgwa.nic.gov.in

पानी बचावें - जीवन बचावें
SAVE WATER - SAVE LIFE

Receipt

(As per the guideline Gazette Notification S.O. 3281(E) regarding the New Guidelines dated 24.09.2020 of CGWA, MoPS, Govt. of India)
<https://cgwa.nic.gov.in>

Application No.:	21-4/525/CT/IND/2017	Date of Issuance:	07/12/2023
Name of Firm:	ISKCON STRIPS PRIVATE LIMITED		
App Type Category:	Steel Industry		
Application Type:	Industrial		
PAN/GSTIN No. of Firm/Individual:	/		

S N	Description	Amount (Rs.)
1.	Application Processing Fee	5000.00
2.	Ground Water Abstraction /Restoration charges	99000.00
3.	Environmental Compensation Charges (ECRGW) (Date From to) Days-	
4.	Penalty for non-Compliance of NOC conditions Condition to be mentioned	
Rs. Rupees One Lakh Four Thousand Only		104000.00

This is an system generated invoice, hence, does not require ink signed.

CENTRAL GROUND WATER AUTHORITY

ANNEXURE-3

COPY OF HAZARDOUS AND OTHER WASTE



CHHATTISGARH ENVIRONMENT CONSERVATION BOARD

PARYAVAS BHAWAN, NORTH BLOCK, SECTOR-19,

ATAL NAGAR, RAIPUR (C.G.) 492002

E-mail : hocecb@gmail.com, Ph. No. 0771-2512220

No. 8143/HSMD/HO/CECB/2023

Nava Raipur, Date 17/02/2023

To,

**M/s Iskcon Strips Pvt. Ltd.,
Kh.No. - 469/(6-8), Village - Guma,
Teh. & Dist. - Raipur (C.G.)**

Sub:- Grant of authorization under the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.

Ref:- Your online application no. 11465860 dated 07/12/2022 & subsequent correspondence ending dated 02/02/2023.

----:00:----

The authorization under the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 is hereby granted for the period of **Five Years** i.e. from **16/02/2023 to 15/02/2028**. The details of authorization along with terms & conditions are given as per below:-

FORM 2

[See rule 6 (2)]

FOR THE GRANT OF AUTHORIZATION BY STATE POLLUTION CONTROL BOARD TO THE OCCUPIERS, RECYCLERS, REPROCESSORS, REUSERS, USER AND OPERATORS OF DISPOSAL FACILITIES

1. Number of authorization **594/HSMD/HO/CECB/ATAL NAGAR, RAIPUR.**
2. Reference of online application no. **11465860 dated 07/12/2022 & subsequent correspondence ending dated 02/02/2023.**
3. The operator of facility i.e. occupier **M/s Iskcon Strips Pvt. Ltd., Kh.No. - 469/(6-8), Village - Guma, Teh. & Dist. - Raipur (C.G.)** is hereby granted an authorization based on the signed inspection report from RO for Generation, Collection, Storage, Transportation, Reuse, Recycling, utilization and Disposal of hazardous wastes in the premises situated at **Village - Guma, Teh. & Dist. - Raipur (C.G.)**

Detail of Authorization

Sl.No.	Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorized mode of disposal or recycling or utilization or co-processing etc.	Quantity (Tonnes/Annum)
1.	Used or Spent oil (Schedule - I, Cat. No. 5.1)	Reuse/Sale to authorized recyclers	3 KL/Annum
2.	Empty barrels/containers/liners contaminated with hazardous chemicals/wastes (Schedule-I, Cat. No. 33.1)	Reuse/Sale to authorized recyclers	50 Nos/Annum
3.	Contaminated Cotton rags or other cleaning Materials (Schedule - I, Cat. No. 33.2)	Co-processing in cement Kiln	0.750 T/Annum
4.	Decanter tank tar Sludge (Schedule - I, Cat. No.13.4)	Sale to authorized recyclers	50 MT/Annum
5.	Mill scale arising from the Manufacture of Iron and steel (Schedule - III, Cat. No. B1230)	Sale to Ferro alloys/Pallet Plants	4200 MT/Annum

- (1) The authorization shall be valid for the period of **Five Years** i.e. from **16/02/2023 to 15/02/2028**.
(2) The authorization is subject to the following conditions:

TERMS & CONDITIONS OF AUTHORIZATION

1. The authorization shall comply with the provisions of Environment (protection) Act, 1986 and the rules made there-under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the Chhattisgarh Environment Conservation Board.
3. The person authorized shall not rent, lend, sell transfer or otherwise transport the hazardous wastes without obtaining prior permission of the Chhattisgarh Environment Conservation Board.
4. Any unauthorized change in personnel, equipment, or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. The person authorized shall implement Emergency Response Procedure (ERP) which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. It is the duty of the authorized person to take prior permission of the Chhattisgarh Environment Conservation Board to close down the facility.
8. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
9. Industry shall prepare emergency response plan (ERP) and ensure implementation the same at the event of any accident occurs due to handling and transporting of hazardous waste as per CPCB guideline.

10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per standard operating procedures/guidelines issued by CPCB from time to time.
11. An application for the renewal of an authorization shall be made three months before the expiry of authorization as laid down in the Rules.
12. Annual return in form IV shall be filed by June 30th for the period ending 31st March of the last financial year.
13. Industry shall submit On site Emergency Plan approved by Department of Industrial Health and Safety within 03 months from the date of issue of this letter.
14. The wastes shall be collected and stored properly with adequate safety measures as per rule.
15. Authorized person shall comply with the provisions of rule 17, 18 and 19 for packing, labeling and transport of Hazardous Waste.
16. The authorized person should maintain the record of Hazardous Waste as per Form-3 of Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016.
17. The occupier shall follow the guidelines (if any) issued by Central Pollution Control Board or MoEF & CC for management of Hazardous waste from time to time.
18. The industry shall display data outside factory gate on quantity and nature of hazardous chemicals and wastes being used in the plant, water and air emissions and solid wastes generated within the factory premises.
19. Industry shall ensure disposal of hazardous waste generated during the production process through authorized recycler as per rule. Failing which this authorization shall be treated as cancelled and appropriate action would be initiated against the industry.
20. Industry shall ensure that the transportation of hazardous wastes should be carried out through GPS enable dedicated vehicles of authorized transporters only. (if required)
21. Industry shall create new website for Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 and upload all the information above the waste in the website.
22. The waste must be given thermal/biological/physico-chemical treatment; the waste should be completely dewatered, detoxified, and proper conditioned and any possible recovery is made before their disposal.
23. The industry should constitute a hazardous waste management cell to take care of the management aspect to the hazardous waste generated in the plant.
24. An on-site storage of the hazardous wastes for a maximum period of 90 days should be provided and it shall be ensured that there is no leakage or seepage from the surrounding walls or bottom. The site should be covered and properly protected to prevent the entry of rain water in storage area.
25. At least four nos. of piezometric points should be provided around the storage site of H.W. to monitor the leaching of the waste and the monitoring report of the same shall be submitted to the board every six monthly. Each type of waste shall be stored in a separate storage cell.
26. The discarded containers of Hazardous waste and chemical shall not be used for storage of food grade products. At the storage site "Hazardous waste storage site & danger signboard" shall be

provided with all safety devices.

27. In the event of any accident due to handling of hazardous waste the authorized person must inform immediately to the Concerned Regional Office and H.O., Atal Nagar, Raipur of the Board by fax/telephone or by E-mail about the incident and details report be sent in form no. 11 [see rule 22].
28. The authorization obtained by the Chhattisgarh Environment Conservation Board should be prominently displayed.
29. Used batteries shall be disposed of as per the Batteries (Management & Handling) Rules, 2001.
30. Board reserves the right to cancel/amend the above condition and add new conditions as and when deemed necessary.

Member Secretary

C.G. Environment Conservation Board
Nava Raipur Atal Nagar, Raipur (C.G.)
Nava Raipur, Date 17/02/2023

Endt No. :- 8144/HISMD/HO/CE/CB/2023

Copy to :- Regional Officer, Regional office, Chhattisgarh Environment Conservation Board, Raipur (C.G.) please ensure compliance and report if any condition/conditions are violated.

Sd/

Member Secretary

C.G. Environment Conservation Board
Nava Raipur Atal Nagar, Raipur (C.G.)

Signature valid

Digitally Signed by :- R. Tiwari
MS

Date: 2023.02.23 16:56:19 IST



ANNEXURE-4

PHOTOGRAPH OF SPCB STACK ONLINE SERVER



ANNEXURE-5

MONITORING REPORT OF STACK & SERVER DATA



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company



Format No. - BEPL/QF/7.8/04

TEST REPORT

ULR	TC 1 0 2 8 5 2 3 0 0 0 0 0 0 6 8 8 F				
Report No. : BEPLTR20231017ST007	Date of Issue: 17.10.2023				
Name and Address of Customer*	M/s. Iskoon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Gusa, Teh. & Dist.- Raipur, Chhattisgarh				
Lab Sample ID.	BEPL/ST/2023101101/007	Customer Sample ID*	ST-01		
Sample Description*	Stack	Sampling Done By	BEPL Staff		
Sampling Location*	Reheating Furnace	Date of Sampling	10.10.2023		
Environment Condition During Testing	Temp. (°C) - 24.9°C	Environment Condition During Sampling	Temp. (°C)		
	Humidity (% RH)- 52 %		Min.- 25°C Max.- 34°C		
			Humidity(% RH)		
			Min.-49 % Max.- 93%		
Sampling Method	As Per CPCB Guideline (LATS/00/2013-2014)				
Date of Sample Received	11.10.2023	Analysis Duration	11.10.2023 to 12.10.2023		
ANALYSIS RESULT					
Stack Attached to:	: Reheating Furnace (Rolling Mill)				
Stack height above the ground	: 30 mtr.				
Stack Inner dia at Port Hole	: 0.8 mtr				
Material of construction	: MS				
Time of Sampling (in Minute)	: 45 Minute				
Attached AP/S	: Water Scrubber				
Ambient Temperature	: 34°C				
Flue Gas Temperature	: 692°C				
Velocity of Flue Gas	: 16.1 m/s				
Quantity of Emission	: 9252.2 Nm ³ /hr				
Sr. No	Parameter	Unit	Result	Limits as per Consent	Test Method
1	Particulate Matter (PM)	ng/Nm ³	25.96	30	IS 11255 (F-1)
2	Sulphur Dioxide (SO ₂)	ng/Nm ³	37.95	--	IS 11255 (F-2)
3	Oxides of Nitrogen (NOx as NO ₂)	ng/Nm ³	29.85	--	IS 11255 (F-7)

Note:

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer those can affect the validity of results.
- Asterisk mark(*) provided by the customer
- This test report shall not be reproduced without the permission of 'Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any publicity/legal purposes.
- Responsibility of the BEPL is limited to the invoiced amount only.



 (Ritesh Kurhade) Reviewed By		For, Bhoomi Envirotech Pvt. Ltd. (Meman Kumar Sinha) Authorized Signatory
-------------------------------------	--	---

.....End of test report.....

SERVER DATA

Pollution Monitoring System


History Data Report

Device Name: Iskon Strips - PM - Stack1 **Org Name:** Iskon Strips Pvt. Ltd
Serial No: ACE10000OTECO037 **State:** Chattisgarh
Manufacturing Id: Ace Gas Analysers Pvt Ltd **District:** Raipur
Generated On: 12/4/2023 18:26:3 **Description:** PM for Rolling Mill

Summary

Parameter	Unit	Overall Avg	Alarm	Min	Max	Count	Duration (mm:ss)
PM	mg/Nm ³	13.52	50	7.1	33.2	0	0:0

PM-Chart



Data Table

Date	Time	PM (mg/Nm ³)	Qcode
4/4/2023	0-0:23	7.6	NO
4/4/2023	0-2:23	7.6	NO
4/4/2023	0-4:24	7.6	NO
4/4/2023	0-6:24	7.5	NO
4/4/2023	0-8:24	7.6	NO
4/4/2023	0-10:25	7.7	NO
4/4/2023	0-12:25	7.6	NO
4/4/2023	0-14:25	7.8	NO
4/4/2023	0-16:26	7.8	NO
4/4/2023	0-18:26	7.8	NO
4/4/2023	0-20:28	7.8	NO
4/4/2023	0-22:28	7.9	NO
4/4/2023	0-24:29	7.9	NO
4/4/2023	0-26:29	8.0	NO
4/4/2023	0-28:29	7.9	NO
4/4/2023	0-30:30	8.0	NO
4/4/2023	0-32:30	8.0	NO
4/4/2023	0-34:30	8.2	NO
4/4/2023	0-36:31	8.2	NO
4/4/2023	0-38:31	8.2	NO
4/4/2023	0-40:31	8.3	NO
4/4/2023	0-42:32	8.3	NO
4/4/2023	0-44:32	8.2	NO
4/4/2023	0-46:34	8.2	NO
4/4/2023	0-48:34	8.3	NO
4/4/2023	0-50:35	8.3	NO
4/4/2023	0-52:34	8.2	NO
4/4/2023	0-54:34	8.2	NO
4/4/2023	0-56:35	8.2	NO
4/4/2023	0-58:35	8.2	NO
4/4/2023	1-0:38	8.2	NO
4/4/2023	1-2:36	8.3	NO
4/4/2023	1-4:37	8.3	NO
4/4/2023	1-6:37	8.3	NO
4/4/2023	1-8:37	8.2	NO
4/4/2023	1-10:39	8.2	NO
4/4/2023	1-12:39	8.2	NO
4/4/2023	1-14:39	8.2	NO
4/4/2023	1-16:39	8.1	NO
4/4/2023	1-18:40	8.1	NO
4/4/2023	1-20:40	8.0	NO
4/4/2023	1-22:41	7.9	NO

Pollution Monitoring System

4/4/2023	7:53:37	33.2	NO
4/4/2023	7:55:37	33.2	NO
4/4/2023	7:57:37	33.2	NO
4/4/2023	7:59:37	33.2	NO
4/4/2023	8:1:38	33.2	NO
4/4/2023	8:3:38	33.2	NO
4/4/2023	8:5:38	33.2	NO
4/4/2023	8:7:39	33.2	NO
4/4/2023	8:9:40	33.2	NO
4/4/2023	8:11:41	33.2	NO
4/4/2023	8:13:41	33.2	NO
4/4/2023	8:15:41	33.2	NO
4/4/2023	8:17:42	33.2	NO
4/4/2023	8:19:42	33.2	NO
4/4/2023	8:21:42	33.2	NO
4/4/2023	8:23:43	33.2	NO
4/4/2023	8:25:43	26.5	NO
4/4/2023	8:27:43	21.2	NO
4/4/2023	8:29:44	20.2	NO
4/4/2023	8:31:44	18.6	NO
4/4/2023	8:33:45	17.0	NO
4/4/2023	8:35:45	16.0	NO
4/4/2023	8:37:45	15.0	NO
4/4/2023	8:39:46	14.5	NO
4/4/2023	8:41:46	14.1	NO
4/4/2023	8:43:48	13.4	NO
4/4/2023	8:45:48	13.1	NO
4/4/2023	8:47:49	12.8	NO
4/4/2023	8:49:49	12.1	NO
4/4/2023	8:51:49	11.9	NO
4/4/2023	8:53:50	11.1	NO
4/4/2023	8:55:50	10.8	NO
4/4/2023	8:57:51	10.5	NO
4/4/2023	8:59:51	10.5	NO
4/4/2023	9:1:51	10.4	NO
4/4/2023	9:3:52	10.3	NO
4/4/2023	9:5:52	10.2	NO
4/4/2023	9:7:52	10.3	NO
4/4/2023	9:9:53	10.3	NO
4/4/2023	9:11:53	10.3	NO
4/4/2023	9:13:54	10.3	NO
4/4/2023	9:15:54	10.2	NO
4/4/2023	9:17:56	10.2	NO
4/4/2023	9:19:56	10.2	NO
4/4/2023	9:21:57	10.2	NO
4/4/2023	9:23:57	10.3	NO
4/4/2023	9:25:58	10.3	NO
4/4/2023	9:27:58	10.2	NO

ANNEXURE-6

MONITORING REPORT OF FUGITIVE EMISSION



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Prtydarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company

TEST REPORT

Report No. : BEPLTR20231017FE002		Date of Issue: 17.10.2023	
Name and Address of Customer*	M/s. Iskoon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Goma, Teh. & Dist.- Raipur, Chhattisgarh		
Lab Sample ID	BEPL/FE/20231011/005-006	Customer Sample ID*	FK-01-03
Sample Description*	Fugitive Emission Monitoring	Sample Collected By	BEPL Staff
Date of Sampling	10.10.2023	Duration of Sampling	4 hr.
Environment Condition for Laboratory Testing	Temp. (°C) - 24.9°C	Environment Condition During Sampling	Temp. (°C) Min.- 25°C Max.- 34°C
	Humidity (% RH) - 52 %		Humidity (% RH) Min.- 49 % Max.- 93%
Sample Quantity Received	2	Weather Condition-	Sunny
Date of Sample Received	11.10.2023	Analysis Duration	11.10.2023 to 12.10.2023

ANALYSIS RESULT

Sr. No.	Sampling Location	Unit	Test Method	Suspended Particulate Matter (SPM)
1	Coal Yard Area	µg/m3	IS : 5182 (Part-4)	490.7
2	Rolling Mill Area			525.3
CPCB Standards				2000

REMARK:

Note:

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer these can affect the validity of results.
- Accuracy (marked) provided by the customer
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any publicity/legal purpose.
- Responsibility of the BEPL is limited to the invited amount only.

 (Ritesh Kurhade) Reviewed By		For, Bhoomi Envirotech Pvt. Ltd.  Meman Kumar Sinha (Authorized Signatory)
--	---	--

.....End of test report.....

ANNEXURE-7

AAQ MONITORING STATION



ANNEXURE-8

MONITORING REPORT OF AMBIENT AIR QUALITY



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company



Format No. - BEPL/QF/7.A/02

TEST REPORT

ULR				TC	1	0	2	8	5	2	3	0	0	0	0	0	0	6	8	2	P		
Report No.: BEPLTR20231017AAQ001												Date of Issue: 17.10.2023											
Name and Address of Customer*		M/s. Iskcon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Guma, Teh. & Dist.- Raipur, Chhattisgarh																					
Lab Sample ID.		BEPL/AAQ/2023101101/001								Customer Sample ID*				AAQ-01									
Sample Description*		Ambient Air Sample								Sampling Done By				BEPL Staff									
Sampling Location*		Near Main Gate								Date of Sampling				10.10.2023									
Sampling Method		As Per CPCB Guideline (Vol.1)								Duration of Sampling				24 hr.									
Environment Condition During Testing		Temp. (°C) - 24.9°C								Environment Condition During Sampling				Temp. (°C)									
		Humidity (% RH) - 52 %												Min.- 25°C				Max.- 34°C					
														Humidity(% RH)									
Date of Sample Received								11.10.2023				Analysis Duration				11.10.2023 to 13.10.2023							
																Weather Condition-				Sunny			

ANALYSIS RESULT

Sr. No.	Parameter	Unit	Result	Limit (As per NAAQS)	Method Reference
1	Particulate Matter (PM ₁₀)	µg/m ³	84.16	100	IS 5182 (P-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	40.12	60	IS 5182 (P-24)
3	Sulphur Dioxide (SO ₂)	µg/m ³	20.36	80	IS 5182 (P-2)
4	Nitrogen Dioxide (NO ₂)	µg/m ³	29.16	80	IS 5182 (P-6)

Note:

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer these can affect the validity of results.
- Asterisk mark(*) provided by the customer
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any publicity/legal purpose.
- Responsibility of the BEPL is limited to the invoiced amount only



 (Ritesh Korhade) Reviewed By		For, Bhoomi Envirotech Pvt. Ltd.  17-10-23 (Meman Kumar Sinha) Authorized Signatory
--	---	--

.....End of test report.....



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company



Format No. - BEPL/QF/7.8/02

TEST REPORT

ULR	TC	1	0	2	8	5	2	3	0	0	0	0	0	0	6	8	3	F
Report No.: BEPLTR20231017AAQ002										Date of Issue: 17.10.2023								
Name and Address of Customer*	M/s. Iskcon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Guma, Teh. & Dist.- Raipur, Chhattisgarh																	
Lab Sample ID.	BEPL/AAQ/2023101101/002						Customer Sample ID*						AAQ-02					
Sample Description*	Ambient Air Sample						Sampling Done By						BEPL Staff					
Sampling Location*	Near Scrap Yard						Date of Sampling						10.10.2023					
Sampling Method	As Per CPCB Guideline (Vol.1)						Duration of Sampling						24 hr.					
Environment Condition During Testing	Temp. (°C) - 24.9°C						Environment Condition During Sampling						Temp. (°C)					
	Humidity (% RH) - 52 %												Min.- 25°C Max.- 34°C					
													Humidity (% RH)					
													Min.-49 % Max.- 93%					
													Weather Condition- Sunny					
Date of Sample Received	11.10.2023						Analysis Duration						11.10.2023 to 13.10.2023					

ANALYSIS RESULT

Sr. No.	Parameter	Unit	Result	Limit (As per NAAQS)	Method Reference
1	Particulate Matter (PM ₁₀)	µg/m ³	60.58	100	IS 5182 (P-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	38.53	60	IS 5182 (P-24)
3	Sulphur Dioxide (SO ₂)	µg/m ³	18.78	80	IS 5182 (P-2)
4	Nitrogen Dioxide (NO ₂)	µg/m ³	26.69	80	IS 5182 (P-6)

Note:

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer these can affect the validity of results.
- Asterisk mark(*) provided by the customer
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any publicity/legal purpose.
- Responsibility of the BEPL is limited to the invoiced amount only



Ritesh Kurhade
17/10/23
(Ritesh Kurhade)
Reviewed By



For, Bhoomi Envirotech Pvt. Ltd.

M. Sinha
17-10-23
(Meman Kumar Sinha)
Authorized Signatory

.....End of test report.....



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company



TC-10285

Format No. - BEPL/QF/7.8/02

TEST REPORT

ULR	TC	1	0	2	8	5	2	3	0	0	0	0	0	0	0	6	8	4	F			
Report No.: BEPLTR20231017AAQ003										Date of Issue: 17.10.2023												
Name and Address of Customer*		M/s. Iskoon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Guma, Teh. & Dist.- Raipur, Chhattisgarh																				
Lab Sample ID.	BEPL/AAQ/2023101101/003	Customer Sample ID*	AAQ-03																			
Sample Description*	Ambient Air Sample			Sampling Done By	BEPL Staff																	
Sampling Location*	Near Billad Yard			Date of Sampling	10.10.2023																	
Sampling Method	As Per CPCB Guideline (Vol.1)			Duration of Sampling	24 hr.																	
Environment Condition During Testing	Temp. (°C) - 24.9°C			Environment Condition During Sampling	Temp. (°C)			Min.- 25°C			Max.- 34°C			Humidity (% RH)			Min.-49 %			Max.- 93%		
	Humidity (% RH)- 52 %				Weather Condition-			Sunny														
Date of Sample Received	11.10.2023			Analysis Duration	11.10.2023 to 13.10.2023																	

ANALYSIS RESULT

Sr. No.	Parameter	Unit	Result	Limit (As per NAAQS)	Method Reference
1	Particulate Matter (PM ₁₀)	µg/m ³	75.00	100	IS 5182 (P-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	35.24	60	IS 5182 (P-24)
3	Sulphur Dioxide (SO ₂)	µg/m ³	17.51	80	IS 5182 (P-2)
4	Nitrogen Dioxide (NO ₂)	µg/m ³	25.96	80	IS 5182 (P-6)

Note:

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer these can affect the validity of results.
- Asterisk mark(*) provided by the customer
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any publicity/legal purpose.
- Responsibility of the BEPL is limited to the invoiced amount only



R. C. K.
17/10/23
(Ritesh Kurchade)
Reviewed By



For, Bhoomi Envirotech Pvt. Ltd.

M. Sinha
17-10-23
(Meman Kumar Sinha)
Authorized Signatory

.....End of test report.....



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company



Format No. - BEPL/QF/7.8/02

TEST REPORT

ULR		TC	1	0	2	8	5	2	3	0	0	0	0	0	0	0	6	8	5	F
Report No. : BEPLTR20231017AAQ004										Date of Issue: 17.10.2023										
Name and Address of Customer*		M/s. Iskoon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Guma, Teh. & Dist.- Raipur, Chhattisgarh																		
Lab Sample ID.		BEPL/AAQ/2023101101/004							Customer Sample ID*				AAQ-04							
Sample Description*		Ambient Air Sample							Sampling Done By				BEPL Staff							
Sampling Location*		Near Administration Office							Date of Sampling				10.10.2023							
Sampling Method		As Per CPCB Guideline (Vol.1)							Duration of Sampling				24 hr.							
Environment Condition During Testing		Temp. (°C) - 24.9°C							Environment Condition During Sampling				Temp. (°C)							
		Humidity (% RH) - 52 %											Min.- 25°C Max.- 34°C							
		Min.-49 % Max.- 93%											Weather Condition- Sunny							
Date of Sample Received		11.10.2023							Analysis Duration				11.10.2023 to 13.10.2023							

ANALYSIS RESULT

Sr. No.	Parameter	Unit	Result	Limit (As per NAAQS)	Method Reference
1	Particulate Matter (PM ₁₀)	µg/m ³	72.95	100	IS 5182 (P-23)
2	Particulate Matter (PM _{2.5})	µg/m ³	32.90	60	IS 5182 (P-24)
3	Sulphur Dioxide (SO ₂)	µg/m ³	15.91	80	IS 5182 (P-2)
4	Nitrogen Dioxide (NO ₂)	µg/m ³	23.07	80	IS 5182 (P-6)

Note:

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer these can affect the validity of results.
- Asterisk mark (*) provided by the customer
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any publicity/legal purpose.
- Responsibility of the BEPL is limited to the invoiced amount only



Ritesh Korhade
17/10/23
(Ritesh Korhade)
Reviewed By



For, Bhoomi Envirotech Pvt. Ltd.

M. Sinha
17-10-23
(Meman Kumar Sinha)
Authorized Signatory

.....End of test report.....

ANNEXURE-9

PHOTOGRAPH OF AIR POLLUTION CONTROL DEVICE



ANNEXURE-10

PHOTOGRAPH OF WATER SPRINKALER



ANNEXURE-11

PHOTOGRAPH OF COVERED TRUCK



ANNEXURE-12

PHOTOGRAPH OF COVERED SHED



ANNEXURE-13

MONITORING REPORT OF GROUND WATER QUALITY



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company



Format No. - BEPL/QF/7.8/01

TEST REPORT

ULR: TC 1 0 2 8 5 2 3 0 0 0 0 0 0 0 6 8 6 F			
Report No.: BEPLTR20231017GW005		Date of Issue: 17.10.2023	
Name and Address of Customer* M/s. Iakoon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Gumma, Teh. & Dist.- Raipur, Chhattisgarh			
Lab Sample ID	BEPL/GW/2023101101/005	Customer Sample ID*	GW-01
Sample Description*	Ground Water (Borewell Water)	Sample Collected By	BEPL Staff
Sampling Location*	Near Office	Date of Sampling	10.10.2023
Environment Condition During Testing	Temp. (°C) - 24.9°C	Environment Condition During Sampling	Temp. (°C)
	Humidity (% RH) - 52 %		33°C
			Humidity (% RH)
			56 %
Sample Quantity Received*	5 Ltr.	Weather Condition-	Sunny
Date of Sample Received	11.10.2023	Analysis Duration	11.10.2023 to 15.10.2023

ANALYSIS RESULT

Sr. No.	Parameter	Unit	Result	Limits as per IS 10500:2012		Method Reference
				Acceptable	Permissible	
1	pH at 25°C	-	7.14	6.5 - 8.5	No Relaxation	IS 3025(P-11)
2	Total Dissolved Solid (TDS)	mg/Lit	789.0	500	2000	IS 3025(P-16)
3	Total Hardness (as CaCO ₃)	mg/Lit	490.0	200	600	IS 3025(P-21)
4	Calcium (as Ca)	mg/Lit	122.6	75	200	IS 3025(P-40)
5	Magnesium (as Mg)	mg/Lit	44.9	30	100	IS 3025(P-46)
6	Total Alkalinity	mg/Lit	216.0	200	600	IS 3025(P-23)
7	Chloride (as Cl)	mg/Lit	201.1	250	1000	IS 3025(P-32)
8	Sulphate (as SO ₄)	mg/Lit	90.4	200	400	IS 3025(P-24)

Remark: mg/Lit - milligram per liter,

Note:

- The sample has been provided by the customer there for the result applied as per the sample received
- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer those can affect the validity of results.
- Asterisk mark(*) provided by the customer
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt Ltd. (BEPL)
- The test report will not be used for any publicity/legal purpose.
- Responsibility of the BEPL is limited to the invoiced amount only.



<p>(Ritesh Murhade) Reviewed By</p>		<p>for, Bhoomi Envirotech Pvt. Ltd.</p> <p>17-10-23 Meman Kumar Sinha (Authorized Signatory)</p>
---	--	--

Bhoomi Envirotech Pvt. Ltd. Report



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company

TEST REPORT

Report No.: BEPLTR20231017GW005A		Date of Issue: 17.10.2023	
Name and Address of Customer*	M/s. Iskoon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Guma, Teh. & Dist.- Raipur, Chhattisgarh		
Lab Sample ID	BEPL/GW/20231011/005	Customer Sample ID*	GW-01
Sample Description*	Ground Water (Borewell Water)	Sample Collected By	BEPL Staff
Sampling Location*	Near Office	Date of Sampling	10.10.2023
Environment Condition During Testing	Temp. (°C) - 24.9°C	Environment Condition During Sampling	Temp. (°C)
	Humidity (% RH) - 52 %		33°C
			Humidity (% RH)
			56 %
		Weather Condition- Sunny	
Sample Quantity Received*	5 Ltr.		
Date of Sample Received	11.10.2023	Analysis Duration	11.10.2023 to 15.10.2023

ANALYSIS RESULT

Sr. No.	Parameter	Unit	Result	Limits as per IS 10500:2012		Method Reference
				Acceptable	Permissible	
1	Colour	Hazen	<1	5	15	IS 3025(P-4)
2	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025(P-7&8)
3	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(P-5)
4	Turbidity	NTU	<1	1	5	IS 3025(P-10)
5	Free Residual Chlorine	mg/Lit	N.D.	0.2	1	IS 3025(P-26)
6	Nitrate (NO3)	mg/Lit	0.33	45	No Relaxation	IS 3025(P-34)
7	Ammonia(as Total Ammonia-N)	mg/Lit	N.D.	0.5	No Relaxation	IS 3025(P-34)
8	Iron (as Fe)	mg/Lit	0.028	0.3	No Relaxation	IS 3025(P-53)
9	Fluoride (as F)	mg/Lit	0.17	1	1.5	IS 3025(P-60)
10	Manganese (as Mn)	mg/Lit	N.D.	0.1	0.3	IS 3025(P-59)
11	Lead (as Pb)	mg/Lit	N.D.	0.01	No Relaxation	IS 3025(P-47)
12	Zinc (as Zn)	mg/Lit	0.04	5	15	IS 3025(P-49)
13	Copper (as Cu)	mg/Lit	N.D.	0.05	1.5	IS 3025(P-42)
14	Cadmium (as Cd)	mg/Lit	N.D.	0.003	No Relaxation	IS 3025(P-41)
15	Chromium (as Cr)	mg/Lit	N.D.	0.05	No Relaxation	IS 3025(P-52)
16	Total Coliforms	CFU/100ml	Absent	Shall not be detectable in 100 ml		APHA 22nd Ed.2012, 9921-B & C, 9-66 & 69

Remark: mg/Lit - milligram per liter, N.D. - Not Detected, CFU- Coliform Unit.


Note:

- The results given above are related to the tested sample, as received & received parameters.
- The customer asked for the above test only.
- When the information is supplied by the customer these can affect the validity of results.
- Accredit (no.47) provided by the customer.
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any public/legal purpose.
- Responsibility of the BEPL is limited to the limited amount only.


(Ritesh Kurhade)
Reviewed By



For, Bhoomi Envirotech Pvt. Ltd.


(Meman Kumar Sinha)
Authorized Signatory

End of test report

Page 1 of 1



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company



TC-40285

Format No. - BEPL/QF/7.8/01

TEST REPORT

ULR	TC	1	0	2	8	5	2	3	0	0	0	0	0	0	0	6	8	7	F
Report No. : BEPLTR20231017DW006										Date of Issue: 17.10.2023									
Name and Address of Customer*		M/s. Iskoon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Guma, Teh. & Dist.- Raipur, Chhattisgarh																	
Lab Sample ID	BEPL/DW/2023101101/006	Customer Sample ID*	DW-01																
Sample Description*	Drinking Water (R.O. Water)	Sample Collected By	BEPL Staff																
Sampling Location*	Near Main Gate	Date of Sampling	10.10.2023																
Environment Condition During Testing	Temp. (°C) - 24.9°C	Environment Condition During Sampling	Temp. (°C)																
	Humidity (% RH) - 52 %		33°C																
			Humidity (% RH)																
			56 %																
Sample Quantity Received*	5 Ltr.																		
Date of Sample Received	11.10.2023	Analysis Duration	11.10.2023 to 15.10.2023																
Weather Condition- Sunny																			

ANALYSIS RESULT

Sr. No.	Parameter	Unit	Result	Limits as per IS 10500:2012		Method Reference
				Acceptable	Permissible	
1	pH at 25°C	-	7.12	6.5 - 8.5	No Relaxation	IS 3025 (P-11)
2	Total Dissolved Solid (TDS)	mg/Lit	187.0	500	2000	IS 3025 (P-16)
3	Total Hardness (as CaCO ₃)	mg/Lit	120.0	200	600	IS 3025 (P-21)
4	Calcium (as Ca)	mg/Lit	27.3	75	200	IS 3025 (P-40)
5	Magnesium (as Mg)	mg/Lit	12.7	30	100	IS 3025 (P-46)
6	Total Alkalinity	mg/Lit	52.0	200	600	IS 3025 (P-23)
7	Chloride (as Cl)	mg/Lit	36.9	250	1000	IS 3025 (P-32)
8	Sulphate (as SO ₄)	mg/Lit	15.1	200	400	IS 3025 (P-24)

Remark: mg/Lit - milligram per liter,

Note:


- The sample has been provided by the customer there for the result applied as per the sample received
- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer these can affect the validity of results.
- Asterisk mark(*) provided by the customer
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any publicity/legal purpose.
- Responsibility of the BEPL is limited to the invoiced amount only




(Ribesh Kurhade)
Reviewed By



for, Bhoomi Envirotech Pvt. Ltd.


R-10-23
Meman Kurhar Sinha
(Authorized Signatory)

End of test report.



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company

TEST REPORT

Report No.: BEPLTR20231017DW006A		Date of Issue: 17.10.2023	
Name and Address of Customer*	M/s. Iskoon Strips Pvt. Ltd. Khashra No.-469/6, 469/7, & 469/8 Village,- Guma, Teh. & Dist.- Raipur, Chhattisgarh		
Lab Sample ID	BEPL/DW/20231011/006	Customer Sample ID*	DW-01
Sample Description*	Drinking Water (R.O. Water)	Sample Collected By	BEPL Staff
Sampling Location*	Near Main Gate	Date of Sampling	10.10.2023
Environment Condition During Testing	Temp. (°C) - 24.9°C	Environment Condition During Sampling	Temp. (°C) 33°C
	Humidity (% RH) - 52 %		Humidity (% RH) 56 %
			Weather Condition- Sunny
Sample Quantity Received*	5 Ltr.		
Date of Sample Received	11.10.2023	Analysis Duration	11.10.2023 to 15.10.2023

ANALYSIS RESULT

Sr. No.	Parameter	Unit	Result	Limits as per IS 10500:2012		Method Reference
				Acceptable	Permissible	
1	Colour	Hazen	<1	5	15	IS 3025(P-4)
2	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025(P-7&8)
3	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(P-5)
4	Turbidity	NTU	<1	1	5	IS 3025(P-10)
5	Free Residual Chlorine	mg/Lit	N.D.	0.2	1	IS 3025(P-26)
6	Nitrate (NO ₃)	mg/Lit	0.21	45	No Relaxation	IS 3025(P-34)
7	Ammonia (as Total Ammonia-N)	mg/Lit	N.D.	0.5	No Relaxation	IS 3025(P-34)
8	Iron (as Fe)	mg/Lit	N.D.	0.3	No Relaxation	IS 3025(P-53)
9	Fluoride (as F)	mg/Lit	0.11	1	1.5	IS 3025(P-60)
10	Manganese (as Mn)	mg/Lit	N.D.	0.1	0.3	IS 3025(P-59)
11	Lead (as Pb)	mg/Lit	N.D.	0.01	No Relaxation	IS 3025(P-47)
12	Zinc (as Zn)	mg/Lit	0.04	5	15	IS 3025(P-49)
13	Copper (as Cu)	mg/Lit	N.D.	0.05	1.5	IS 3025(P-42)
14	Cadmium (as Cd)	mg/Lit	N.D.	0.003	No Relaxation	IS 3025(P-41)
15	Chromium (as Cr)	mg/Lit	N.D.	0.05	No Relaxation	IS 3025(P-52)
16	Total Coliforms	CFU/100ml	Absent	Shall not be detectable in 100 ml		APHA 22nd Ed. 2012, 9921-B & C, 9-66 & 69

Remark: mg/Lit - milligram per liter, N.D. - Not Detected, CFU- Coliform Unit.

Note:

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer these can affect the validity of results.
- Alcohol used(*) provided by the customer.
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any public/legal purpose.
- Responsibility of the BEPL is limited to the involved amount only.


(Ritesh Kurhade)
Reviewed By



For, Bhoomi Envirotech Pvt. Ltd.


(Meman Kumar Sinha)
Authorized Signatory

.....End of test report.....

Page 1 of 1

ANNEXURE-14

PHOTOGRAPH OF RAINWATER HARVESTING SYSTEM



ANNEXURE-15

MONITORING REPORT OF NOISE LEVEL SURVEY



Bhoomi Envirotech Pvt. Ltd.

D-1, Sector-3, Priyadarshini Nagar,
Behind Vijeta Complex, Raipur-492006
Email- info.bhoomienvirotech@gmail.com
Web Site: www.bhoomienvirotech.co.in

ISO 9001:2015
ISO 14001:2015
ISO 45001:2018
Certified Company

TEST REPORT

Report No. : BEPLTR20231017N001		Date of Issue: 17.10.2023	
Name and Address of Customer*		M/s. Iskcon Strips Pvt. Ltd, Khashra No.-469/6, 469/7, & 469/8 Village,- Guma, Teh. & Dist.- Raipur, Chhattisgarh	
Lab Sample ID	BEPL/N/20231011/001-004	Customer Sample ID*	N-01-04
Sample Description*	Ambient Noise	Monitoring Done By	BEPL Staff
Monitoring Procedure		As Per IS 9569 & CPCB Guidelines	
Weather Condition	Sunny	Environment Condition During Sampling	Temp. (°C)
			Min.- 25°C Max.- 34°C
		Humidity (% RH)	
		Min.- 49 % Max.- 93%	
Date of Sampling	10.10.2023	Duration of Sampling	24 hr.

MONITORING RESULT OF NOISE LEVEL

Sr. No.	Location	Observed Value dB(A)	
		Day Time	Night Time
1	Near Office	65.8	57.5
2	Near Billed Yard	71.2	61.0
3	Near Rolling Mill	72.9	62.1
4	Near Store	69.0	61.7
Limit as per CPCB Standard (Industrial Area)			
Day Time - 75		Night Time - 70	

Note:

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- When the information is supplied by the customer these can affect the validity of results.
- Asterisk mark(*) provided by the customer
- This test report shall not be reproduced without the permission of Bhoomi Envirotech Pvt. Ltd. (BEPL)
- The test report will not be used for any public/legal purpose.
- Responsibility of the BEPL is limited to the invoiced amount only

<p>(Ritesh Kurhade) Reviewed By</p>	<p>For, Bhoomi Envirotech Pvt. Ltd. Meman Kumar Sinha Authorized Signatory</p>
---	---

.....End of test report.....

ANNEXURE-16

PHOTOGRAPH OF SOLAR POWER GNERATION PANEL



ANNEXURE-17

TAX INVOICE OF SOLID WASTE

	ISKCON STRIPS PRIVATE LIMITED VILLAGE GUMA POST TENDUA HIRAPUR ROAD, RAIPUR, CHHATTISGARH, INDIA, RAIPUR - 493221, INDIA GST No. : 22AABCE2365N1ZK PAN No. : AABCE2365N								
ORIGINAL FOR RECEIPT									
TAX INVOICE									
IRN No. : Ack.No. :	IRN Date : Ack.Date :								
Tax Invoice No. : SA23Y-02472 Tax Invoice Date : 23-08-2023 Sale Order No & Date : 0423819-001 19-08-2023									
Details of Receiver (Billed To) RAMNARAYAN PRAJAPATI. WARD NO. 12 HATHWARA BERLA KALAN BEHETARA, BEHETARA - 490036, BEHETARA, INDIA State Name : CHHATTISGARH State Code : 22	Details of Consignee (Shipped To) RAMNARAYAN PRAJAPATI. WARD NO. 12 HATHWARA BERLA KALAN BEHETARA, BEHETARA - 490036, BEHETARA, INDIA State Name : CHHATTISGARH State Code : 22								
Payment Mode : Immediate Payment Due days : 0 Payment Due date : 23-AUG-23 E-Way Bill No. : E-Way Bill Date : Agent Name : RAMNARAYAN PRAJAPATI JJ	Transporter Details Name : SELF IR No. : IR Date : Vehicle No. : CGD4MY3006 Mode : By Road Freight Details : TO PAY - BILL								
Sr.	Description of Goods	HSN	Qty	UM	PCS	Basic Rate	DRB.	Rate	Material Amount
1	COAL ASH Remark : Payment Received PAN NO. = FWWP5664P ADHAR NO. = 376272829790	26211000	29.870	MT		400.00	0.00	400.00	11,948.00
Total			29.870					Material Value	11,948.00
Total Invoice Value (In Words) : Rs - Twelve Thousand Six Hundred Seventy One Only .		Assessable Value		11,948.00					
Subject to Reverse Charge :- No		Total Invoice Amt. (INR)		12,671.00					
Terms & Conditions: 1. All disputes are subjected to Raipur Jurisdiction. 2. All Goods are to be Checked at our work place before dispatch & will be not be taken back 3. The Company is not responsible for shortage or loss of goods during transport. 4. Interest @ 30 % p.a. will be charged if payment is not paid by due date.									
Note : TDS SHOULD BE DEDUCTED ON ASS.VALUE @ 0.10% I.E. Rs - /-									
Company's Bank Details Bank Name : HDFC Bank A/C No. : 50200028691582 Branch : G.E.ROAD 492010 RAIPUR CHHATTISGARH INDIA IFSC Code : HDFC0000769									
For, ISKCON STRIPS PRIVATE LIMITED									
Driver Signature		Prepared by		Checked By		Authorised by			

**ISKCON STRIPS PRIVATE LIMITED**VILLAGE GUMA POST TENDUA HIRAPUR ROAD, RAIPUR, CHHATTISGARH,
INDIA, RAIPUR - 493221, INDIA
GST No. : 22AA8C12365N12K PAN No. : AA8C12365N

ORIGINAL FOR RECEIPT

TAX INVOICE

IRN No. : cf598c628028ac11f84999c97c7660ec05c1dde8dc61ba5205f5e1d5e714	IRN Date : 26-AUG-23
Ack.No. : 182314256963040	Ack.Date : 26-AUG-23

Tax Invoice No. : SA23Y-02523	Tax Invoice Date : 26-08-2023	Sale Order No & Date : 0423825-001 25-08-2023
--------------------------------------	--------------------------------------	--

Details of Receiver (Billed To) R S PYROCHEM INDUSTRIES, RYR B1E & B2A SILTARA PHASE - 2, RAIPUR, RAIPUR - 492001, INDIA State Name : CHHATTISGARH State Code : 22 GSTIN : 22AGNPAB791P1ZR PAN No. : AGNPAB791P	Details of Consignee (Shipped To) R S PYROCHEM INDUSTRIES, RYR B1E & B2A SILTARA PHASE - 2, RAIPUR, RAIPUR - 492001, INDIA State Name : CHHATTISGARH State Code : 22 GSTIN : 22AGNPAB791P1ZR PAN No. : AGNPAB791P
--	--

Payment Mode : Immediate Payment Due days : 0 Payment Due date : 26-AUG-23 E-Way Bill No. : E-Way Bill Date : Agent Name : AVINASH JEE	Transporter Details Name : SELF LR No. : Vehicle No. : CG07CG1578 LR Date : Mode : By Road Freight Details : TO PAY - BILL
---	---

Sr.	Description of Goods	HSN	Qty	UM	PCS	Basic Rate	Diff.	Rate	Material Amount
1	MILL SCALE	26190090	38.340	MT		6,400.00	0.00	6,400.00	2,45,376.00
Total			38.340					Material Value	2,45,376.00

Total Invoice Value (In Word) : Rs Two Lakhs Ninety Two Thousand Four Hundred Thirty Nine Only	CGST / UGST	9.00 %	22,083.84
	CGST	9.00 %	22,083.84
	TCS	1.00 %	2,695.00
	ROUND OFF		0.32
	Assessable Value		2,45,376.00

Subject to Reverse Charge : No	Total Invoice Amt. (INR)	2,92,439.00
---------------------------------------	---------------------------------	--------------------

Terms & Conditions:

- All disputes are subjected to Raipur Jurisdiction.
- All Goods are to be checked at our work place before dispatch & will be not be taken back
- The Company is not responsible for shortage or loss of goods during transport.
- Interest @ 30 % p.a. will be charged if payment is not paid by due date.

Note :
TDS SHOULD BE DEDUCTED ON ASS.VALUE @ 0.10% I.E. Rs - /-


Company's Bank Details Bank Name : HDFC Bank A/c No. : 50200028691582 Branch : G.T. ROAD 492010 RAIPUR CHHATTISGARH INDIA IFS Code : HDFC0000769	
---	--

For, ISKCON STRIPS PRIVATE LIMITED

Driver Signature	Prepared By	Checked By	Authorised By
------------------	-------------	------------	---------------

**ISKCON STRIPS PRIVATE LIMITED**VILLAGE GUMA POST TENDUA HIRAPUR ROAD, RAIPUR, CHHATTISGARH,
INDIA, RAIPUR - 493221, INDIA

GST No. : 22AABCJ2365N1ZK PAN No. : AABCJ2365N



ORIGINAL FOR RECEIPT

TAX INVOICE

IRN No. : eb04f96da668f058cd7226234f87811e0077360473bc4981c9a3778f713d0472 IRN Date : 26-AUG-23
 Ack.No. : 182314259290811 Ack.Date : 26-AUG-23
 Tax Invoice No. : **SA23Y-02532** Tax Invoice Date : **26-08-2023** Sale Order No & Date : **0423826-001 26-08-2023**

Details of Receiver (Billed To)
GANPATI ISPAT, RYP
 PLOT NO 144, SECTOR- C,URLA INDUSTRIAL AREA,RAIPUR,INDIA
 State Name : CHHATTISGARH State Code : 22
 GSTIN : **22AABCG9507A1Z7**
 PAN No. : AABCG9507A

Details of Consignee (Shipped To)
GANPATI ISPAT, RYP
 PLOT NO 144, SECTOR- C,URLA INDUSTRIAL AREA,RAIPUR,INDIA
 State Name : CHHATTISGARH State Code : 22
 GSTIN : **22AABCG9507A1Z7**
 PAN No. : AABCG9507A

Payment Mode : Nodday Payment
 Payment Due days : 1
 Payment Due date : 27-AUG-23
 E-Way Bill No. :
 E-Way Bill Date :
 Agent Name : BAJRANG AGARWAL JJ

Transporter Details
 Name : **SHREE RADHE TRANSPORT**
 LR No. : 364 LR Date : 26-08-2023
 Vehicle No. : OG04JB7321 Mode : By Road
 Freight Details : FOR

Sr.	Description of Goods	HSN	Qty	UM	PCS	Basic Rate	DIS.	Rate	Material Amount
1	WASTE & SCRAP - MS PIPE Remark : Strip scrap bandal	72042910	20.180	MT		39,250.00	0.00	39,250.00	7,92,065.00
Total			20.180					Material Value	7,92,065.00

Total Invoice Value (In Word) :
 Rs **Nine Lakhs Thirty Four Thousand Six Hundred Thirty Seven Only**

CGST	9.00 %	71,285.85
SGST	9.00 %	71,285.85
ROUND OFF		0.30
Assessable Value		7,92,065.00

Subject to Reverse Charge : No **Total Invoice Amt. (INR)** **9,34,637.00**

Terms & Conditions:
 1. All disputes are subjected to Raipur Jurisdiction.
 2. All Goods are to be Checked at our work place before dispatch & will be not be taken back
 3. The Company is not responsible for shortage or loss of goods during transport.
 4. Interest @ 30 % p.a. will be charged if payment is not paid by due date.


Note :
TDS SHOULD BE DEDUCTED ON ASS.VALUE @ 0.10% I.E. Rs - /-

Company's Bank Details
 Bank Name : HDFC Bank
 A/C No. : 50200028691582
 Branch : G.F. ROAD 492010 RAIPUR CHHATTISGARH INDIA
 IFS Code : HDFC0000769


For, ISKCON STRIPS PRIVATE LIMITED

Driver Signature _____ Prepared By _____ Checked By _____ Authorised By _____

ANNEXURE-18
PHOTOGRAPH OF GREEN BELT



ANNEXURE-19

ONSITE EMERGENCY PLAN

On Site Emergency Plan

ISKCON STRIPS PVT. LTD.
Heerapur Road, Village - Guma, Post - Tendua,
Distt. Raipur(C.G.),

FOREWORDS, NAME & ADDRESS OF OCCUPIER

The On-site Emergency plan of **M/s ISKCON STRIPS PVT. LTD., Village – Guma, Post-Tendua, Distt. Raipur (C.G.)**, in a book form is released Herewith for all employees concerning with handling of the Emergency if arises any, due to reasons whatsoever, related to operations, maintenance and functioning of the plant.

The plan is a statutory requirement under section 41 (b) (4) of the Indian Factories Act-1948 with an intention to arrange and gear-up the facilities to combat the emergency if any, in an effective way to ensure minimum possible loss to the human beings and to the properties involved and to make the situation in order within minimum possible time period.

As such, I request all employees to actively participate in the action plan of On – site Emergency plan as per role given to them and to make ourselves operational at any stage of emergency.

Sign. of occupier

Name & address of Occupier:

Shri Panna Lal Bansal
Occupier
A-36, Wall Fort City,
Bhatagaon, Raipur (CG)

☎ 98266-33360

**PANNA
LAL
BANSAL**



ANNEXURE-20

PHOTOGRAPH OF WORKMEN WITH PPE KIT



ANNEXURE-21

OCCUPATIONAL HEALTH SURVEILLANCE OF WORKERS



फॉर्म-11 फॉर्म 11
(Prescribed under Rule 101)
Health Register

(Department of Government Undertaken or Contracted Work or in the Regulated Industries under section 47)

Serial No.	Name of the Worker	Age	Sex	Date of Birth	Date of Registration	Date of Last Medical Examination	Date of Last Physical Examination	Date of Last X-ray Examination	Date of Last Laboratory Examination	Date of Last Special Examination	Remarks

SECTION - A FORM 11
(Prescribed under Rule 101)
Health Register

SECTION - B
EXE-CUTOFFMENT & PERIODIC MEDICAL EXAMINATION

GENERAL EXAMINATION
 HEIGHT: 165 CM WEIGHT: 60 KG AGE: 35 YRS
 CHEST EXPANSION: 25 CM DEPTH OF RESPIRATION: 2.5 CM
 B.P.: 110/70 PULSE: 72 RR: 18
 TONGUE: PINK TONSILS: SMALL THROAT: CLEAR
 HEENT: NORMAL NOSE: FREE EYEBALLS: CLEAR
 LYMPH NODES: ENLARGED AXILLARY
 RESPIRATORY SYSTEM: NORMAL

SECTION - C
OPHTHALMOLOGICAL SYSTEM
 PUPILS: E.O. 4MM B.C. 4MM I.R. 4MM
 VISION: 6/6
 REFRACTION: -1.00 D
 FUNDUS: NORMAL

SECTION - D
RESPIRATORY SYSTEM
 TYPE OF CIGARETTE: 10
 CIGARETTE CONSUMPTION: 10
 TUBERCULOSIS: NEGATIVE
 BREATH SOUNDS: CLEAR

SECTION - E
URINO-GENITAL SYSTEM
 URINE: NORMAL
 ANY ABDOMINAL LUMP: NONE

SECTION - F
EXAMINATION OF EYES
 DISTANCE VISION: 6/6
 NEAR VISION: 6/12
 REFRACTION: -1.00 D
 FUNDUS: NORMAL
 BURNING, ITCHING, REDNESS, PAIN, DISCHARGE: NONE
 HISTORY OF CATARACT, GLAUCOMA, RETINITIS, DIABETIC RETINOPATHY, GLAUCOMA: NONE
 HISTORY OF LASER SURGERY: NONE
 HISTORY OF CONTACT LENS: NONE
 HISTORY OF LASER SURGERY: NONE

SECTION - G
EXAMINATION OF EAR, NOSE & THROAT
 EXTERNAL EAR: NORMAL
 MIDDLE EAR: NORMAL
 CHRONIC OTITIS: NONE
 TUBERCULOSIS: NONE
 NASOPHARYNX: NORMAL
 TONSILS: SMALL
 THROAT: CLEAR
 LYMPH NODES: ENLARGED AXILLARY

SECTION - H
LAB INVESTIGATIONS
 HEMATOLOGY: Hb: 12.5 g/dl, WBC: 11,000, PLT: 1,50,000
 HAEMOGLOBIN: 12.5 g/dl
 HbC: 1.5%
 HbF: 0.5%
 LFT: ALT: 15 U/L, AST: 15 U/L, ALP: 150 U/L, GGT: 15 U/L
 KIDNEY PROFILE: UREA: 15 mg/dl, CREATININE: 1.0 mg/dl
 URIC ACID: 4.5 mg/dl
 SUGAR: Fasting: 100 mg/dl, PP: 120 mg/dl
 URIC ACID: 4.5 mg/dl
 BUN: 15 mg/dl
 CREATININE: 1.0 mg/dl
 URIC ACID: 4.5 mg/dl

SECTION - I
OTHER INVESTIGATIONS
 X-RAY CHEST: CLEAR
 X-RAY PFT: CLEAR
 X-RAY PFT: CLEAR
 X-RAY PFT: CLEAR

SECTION - J
PULMONARY FUNCTION TEST

Parameter	Normal	Observed	% of Normal
FEV1	2.0 L	1.8 L	90%
FVC	2.5 L	2.2 L	88%
PEFR	2.0 L/s	1.8 L/s	90%

SECTION - K
ANALYTICAL INVESTIGATION
 ANALYTICAL INVESTIGATION: NONE

SECTION - L
OTHER INVESTIGATIONS
 OTHER INVESTIGATIONS: NONE

SECTION - M
EXAMINATION OF EAR, NOSE & THROAT
 EXTERNAL EAR: NORMAL
 MIDDLE EAR: NORMAL
 CHRONIC OTITIS: NONE
 TUBERCULOSIS: NONE
 NASOPHARYNX: NORMAL
 TONSILS: SMALL
 THROAT: CLEAR
 LYMPH NODES: ENLARGED AXILLARY



EXAMINATION OF EYE, NOSE & THROAT
 EXTERNAL EXAM - Normal

HEARD BINAURAL SYSTEM
 HEARD - RT - HYPERCLOUSABLE - NO

OROTOLOGICAL - NO - NO
 NASAL EXAM - NO - NO - NO

INVESTIGATIONS

LAB INVESTIGATIONS
 URINE ALBUMIN - NO - NO
 URIC ACID - NO - NO

HEMOGRAM
 Hemoglobin - 14.0 - 14.0
 HCT - 45.0 - 45.0
 WBC - 10,000 - 10,000
 RBC - 4,500,000 - 4,500,000
 PLATELETS - 1,50,000 - 1,50,000

URINE PROFILE
 Specific Gravity - 1.020
 pH - 7.0
 ALBUMIN - NO
 SUGAR - NO
 BILIRUBIN - NO
 UROBILIN - NO

BLOOD PROFILE
 Hemoglobin - 14.0
 Hematocrit - 45.0
 WBC - 10,000
 RBC - 4,500,000
 PLATELETS - 1,50,000

OTHER INVESTIGATIONS
 X-Ray Chest - NO

PULMONARY FUNCTION TEST

Parameter	Value	Normal	Reference
FEV1	2.0	2.0	2.0
FVC	2.5	2.5	2.5
PEFR	2.0	2.0	2.0

Remarks:
 1. All values are within normal limits.
 2. No abnormality detected.

Signature of Doctor of Factory Medical Officer

FORM-3 (PART II)
 (Prescribed under Rule 174)
 Health Register

PRE-EMPLOYMENT & PERIODIC MEDICAL EXAMINATION

GENERAL EXAMINATION
 NAME - ...
 AGE - ...
 SEX - ...
 OCCUPATION - ...
 DATE OF EXAMINATION - ...

CARDIOVASCULAR SYSTEM
 HEART BEAT - ...
 BLOOD PRESSURE - ...

RESPIRATORY SYSTEM
 CHEST MOVEMENTS - ...
 FREQUENCY - ...
 SOUNDS - ...

GASTROINTESTINAL SYSTEM
 LIVER - ...
 SPLEEN - ...

EXAMINATION OF EYES
 EXTERNAL EXAM - ...
 VISUAL ACUITY - ...
 REFRACTION - ...
 FUNDUS - ...

INDIVIDUAL COLOUR IDENTIFICATION - NORMAL (OBJECTIVE)
 DISTANT VISION (WITH GLASSES) - ...
 NEAR VISION (WITH GLASSES) - ...
 DISTANT VISION (WITHOUT GLASSES) - ...
 NEAR VISION (WITHOUT GLASSES) - ...

Signature of Doctor of Factory Medical Officer



FORM-3
 (Prescribed under Rule 17C)
Health Register
 (To register all persons employed or concerned thereof in the dangerous operations under section 27)

Name of Working Person	Age	Sex	Occupation	Date of Birth	Date of Issuance of Health Card	Period of Validity	Signature of Working Person	Signature of Employer

Signature: _____

PRE-EMPLOYMENT & PERIODIC MEDICAL EXAMINATION

(I) GENERAL EXAMINATION
 HEIGHT: 1.75 m WEIGHT: 65 kg AGE: 35
 CHEST MEASUREMENT: 80 cm SUPINE: 85 cm
 B.S.P. PULSE: 70/100/70
 TEMPERATURE: 37.5°C B.P.: 110/70
 VISION: 6/6 (R) 6/6 (L) HEARING: ALL
 URINE: CLEAR
 ADDITIONAL FINDINGS: NONE

(II) CARDIOVASCULAR SYSTEM
 H.A.B. (R): 110/70 (S) 110/70 (D) 110/70 (M)
 H.A.B. (L): 110/70 (S) 110/70 (D) 110/70 (M)
 MURMUR: NONE
 ADDITIONAL FINDINGS: NONE

(III) RESPIRATORY SYSTEM
 SHAPE OF CHEST: Normal
 CHEST MEASUREMENTS: 80 cm
 TRACHEA: Midline
 BREATH SOUNDS: Clear

(IV) GASTRO-INTESTINAL SYSTEM
 LIVER: Normal
 ANY ABDOMINAL LUMPS: None

(V) EXAMINATION OF EYES
 EXTERNAL EXAM: Normal
 REFLEXES: Present
 COLOUR VISION: Normal
 PUPILS: Normal
 PERIPHERAL COLOUR VISION: Normal
 DISTANT VISION WITHOUT GLASSES: 6/6 (R) 6/6 (L)
 NEAR VISION WITHOUT GLASSES: 30 cm (R) 30 cm (L)
 DISTANT VISION WITH GLASSES: 6/6 (R) 6/6 (L)
 NEAR VISION WITH GLASSES: 30 cm (R) 30 cm (L)
 NIGHT VISION: Normal

(VI) EXAMINATION OF EAR, NOSE & THROAT
 EARS: Normal
 NOSE: Normal
 THROAT: Normal

(VII) SPECIAL INVESTIGATIONS
 X-RAY: Normal
 U.R.I.: Normal
 S.P.T. TEST: Normal
 TUBERCULIN TEST: Negative

(VIII) LABORATORY INVESTIGATIONS
 HEMOGLOBIN: 15 g/dl
 HEMATOCRIT: 45%
 RBC: 4.5 x 10¹²/dl
 WBC: 10,000/cmm
 PLATELETS: 1,50,000/cmm
 SUGAR: 100 mg/dl
 URIC ACID: 4 mg/dl
 CREATININE: 1.2 mg/dl
 ALT: 20 U/L
 AST: 20 U/L
 ALP: 100 U/L
 GGT: 20 U/L
 BILIRUBIN: 1.0 mg/dl
 FOLIC ACID: 10 mg/dl
 VITAMIN B12: 100 pg/ml
 VITAMIN D: 20 ng/ml
 VITAMIN E: 10 IU/ml
 VITAMIN K: 100 ng/ml
 VITAMIN C: 100 mg/dl
 VITAMIN A: 1000 IU/ml
 VITAMIN B6: 100 ng/ml
 VITAMIN B9: 100 ng/ml
 VITAMIN B1: 100 ng/ml
 VITAMIN B2: 100 ng/ml
 VITAMIN B3: 100 ng/ml
 VITAMIN B5: 100 ng/ml
 VITAMIN B7: 100 ng/ml
 VITAMIN B11: 100 ng/ml
 VITAMIN B12: 100 ng/ml
 VITAMIN B13: 100 ng/ml
 VITAMIN B14: 100 ng/ml
 VITAMIN B15: 100 ng/ml
 VITAMIN B16: 100 ng/ml
 VITAMIN B17: 100 ng/ml
 VITAMIN B18: 100 ng/ml
 VITAMIN B19: 100 ng/ml
 VITAMIN B20: 100 ng/ml
 VITAMIN B21: 100 ng/ml
 VITAMIN B22: 100 ng/ml
 VITAMIN B23: 100 ng/ml
 VITAMIN B24: 100 ng/ml
 VITAMIN B25: 100 ng/ml
 VITAMIN B26: 100 ng/ml
 VITAMIN B27: 100 ng/ml
 VITAMIN B28: 100 ng/ml
 VITAMIN B29: 100 ng/ml
 VITAMIN B30: 100 ng/ml
 VITAMIN B31: 100 ng/ml
 VITAMIN B32: 100 ng/ml
 VITAMIN B33: 100 ng/ml
 VITAMIN B34: 100 ng/ml
 VITAMIN B35: 100 ng/ml
 VITAMIN B36: 100 ng/ml
 VITAMIN B37: 100 ng/ml
 VITAMIN B38: 100 ng/ml
 VITAMIN B39: 100 ng/ml
 VITAMIN B40: 100 ng/ml
 VITAMIN B41: 100 ng/ml
 VITAMIN B42: 100 ng/ml
 VITAMIN B43: 100 ng/ml
 VITAMIN B44: 100 ng/ml
 VITAMIN B45: 100 ng/ml
 VITAMIN B46: 100 ng/ml
 VITAMIN B47: 100 ng/ml
 VITAMIN B48: 100 ng/ml
 VITAMIN B49: 100 ng/ml
 VITAMIN B50: 100 ng/ml
 VITAMIN B51: 100 ng/ml
 VITAMIN B52: 100 ng/ml
 VITAMIN B53: 100 ng/ml
 VITAMIN B54: 100 ng/ml
 VITAMIN B55: 100 ng/ml
 VITAMIN B56: 100 ng/ml
 VITAMIN B57: 100 ng/ml
 VITAMIN B58: 100 ng/ml
 VITAMIN B59: 100 ng/ml
 VITAMIN B60: 100 ng/ml
 VITAMIN B61: 100 ng/ml
 VITAMIN B62: 100 ng/ml
 VITAMIN B63: 100 ng/ml
 VITAMIN B64: 100 ng/ml
 VITAMIN B65: 100 ng/ml
 VITAMIN B66: 100 ng/ml
 VITAMIN B67: 100 ng/ml
 VITAMIN B68: 100 ng/ml
 VITAMIN B69: 100 ng/ml
 VITAMIN B70: 100 ng/ml
 VITAMIN B71: 100 ng/ml
 VITAMIN B72: 100 ng/ml
 VITAMIN B73: 100 ng/ml
 VITAMIN B74: 100 ng/ml
 VITAMIN B75: 100 ng/ml
 VITAMIN B76: 100 ng/ml
 VITAMIN B77: 100 ng/ml
 VITAMIN B78: 100 ng/ml
 VITAMIN B79: 100 ng/ml
 VITAMIN B80: 100 ng/ml
 VITAMIN B81: 100 ng/ml
 VITAMIN B82: 100 ng/ml
 VITAMIN B83: 100 ng/ml
 VITAMIN B84: 100 ng/ml
 VITAMIN B85: 100 ng/ml
 VITAMIN B86: 100 ng/ml
 VITAMIN B87: 100 ng/ml
 VITAMIN B88: 100 ng/ml
 VITAMIN B89: 100 ng/ml
 VITAMIN B90: 100 ng/ml
 VITAMIN B91: 100 ng/ml
 VITAMIN B92: 100 ng/ml
 VITAMIN B93: 100 ng/ml
 VITAMIN B94: 100 ng/ml
 VITAMIN B95: 100 ng/ml
 VITAMIN B96: 100 ng/ml
 VITAMIN B97: 100 ng/ml
 VITAMIN B98: 100 ng/ml
 VITAMIN B99: 100 ng/ml
 VITAMIN B100: 100 ng/ml

(IX) PULMONARY FUNCTION TEST

Parameter	FVC	FEV1	FEV1/FVC
Pre-test	2.5 L	1.8 L	72%
Post-test	2.0 L	1.5 L	75%
% of Pre-test	80%	83%	103%

(X) Spirometry
 Spirometry: Normal

(XI) Medical examination of special staff
 None

(XII) Details of illness specially medical examination carried out as mentioned in the respective sub-section of rule 17 of C.G. Section 27B (1)

Signature (with date) of Factory Medical Officer: _____
 Signature (with date) of certifying surgeon: _____



FORM 11
(Prescribed under Rule 170)
Health Register
(In respect of persons employed in establishments subject to the Department's supervision under section 47)

Name of Establishment		State	City	Pin Code	Telephone No.	Address	Post Office	Distance from Health Officer's Office	Distance from Health Officer's Office	Distance from Health Officer's Office
1	2	3	4	5	6	7	8	9	10	11

PRE-EMPLOYMENT & PERIODIC MEDICAL EXAMINATION

(A) GENERAL EXAMINATION
 HEIGHT: 163 CM WEIGHT: 51 KG AGE: 45 YRS SEX: M
 CHEST INSPIRATION: 12 CM EXPIRATION: 10 CM
 B.P.T. (REST): 110/70 (MAX): 130/80 PULSE: 72/60
 TEMPERATURE: 37.5°C (MOUTH) 37.2°C (RECTUM)
 URINE: 100% CLEAR, 100% NEGATIVE FOR GLUCOSE
 ADDITIONAL FINDINGS: None

(B) CARDIOVASCULAR SYSTEM
 PALPATION: Normal, Regular, Peripheral Pulse Present
 HEART SOUND: Normal
 MURMUR: None
 ADDITIONAL FINDINGS: None

(C) RESPIRATORY SYSTEM
 MOUTH OF CHEST: Normal
 CHEST MOVEMENTS: Normal
 TACHYPNEA: None
 CRACKLES: None

(D) GASTRO-INTESTINAL SYSTEM
 LIVER: Normal, Splenomegaly
 ANY ADDITIONAL FINDINGS: None

(E) EXAMINATION OF EYES
 EXTERNAL EXAM: Normal, Right: 12/60, Left: 12/60
 FUNDUS: Normal, Bilateral
 PERIPHERAL VISION (RIGHT): Normal, (LEFT): Normal
 VISUAL ACUITY (RIGHT): Normal, (LEFT): Normal
 NEAR VISION (RIGHT): Normal, (LEFT): Normal
 REFRACTION: None
 VISUAL FIELD: Normal
 NIGHT VISION: Normal

(F) EXAMINATION OF EAR, NOSE & THROAT
 EXTERNAL EXAM: Normal

(G) DENTAL EXAMINATION
 TEETH: 20, HYGIENE: Good
 GINGIVITIS: None
 PERIODONTITIS: None
 MANDIBULAR JAW: None

(H) LAB INVESTIGATIONS
 URINE: Normal
 HEMATOGRAM: Normal
 ADDRESS: Dr. Anand K. Gupta, M.D., M.Ch., F.R.C.S. (Gen.), 110001, New Delhi
 URGENT PROFILE: Hemoglobin: 12.5 g/dl, WBC: 10.5 x 10⁹/dl
 RETICULOCYTES: 0.5%, PLT: 1.5 x 10⁵/dl
 BUNAL PROFILE: Urea: 12 mg/dl, Creatinine: 0.8 mg/dl
 BUNAL PROFILE: Urea: 12 mg/dl, Creatinine: 0.8 mg/dl

(I) OTHER INVESTIGATIONS
 A. No Chest X-ray (within previous year) is done at other centres
 B. No CT scan of any abnormality (within last year) is done at other centres
 C. No MRI scan of any abnormality (within last year) is done at other centres
 D. No PET scan of any abnormality (within last year) is done at other centres
 Others: None

(J) PULMONARY FUNCTION TEST

Parameter	Pre	Post	Pre/Post
Vital Capacity	2.1 L	2.1 L	100%
FEV1	1.2 L	1.2 L	100%
FVC	2.1 L	2.1 L	100%

(K) Spirometry examination - P/F of both sides at frequency of 125, 250, 500, 1000, 2000 RPM, 4000 cycles per minute
 Result: Normal, Normal, Normal, Normal

(L) Medical supervision of common staff
 a. Staff supervision by separate doctors and routine blood examination
 b. Supervision by one separate doctor and others
 c. None and other tests for TB

(M) Results of other specific medical examinations carried out as mentioned in the respective articles of rule 170 of S.O. No. 1992/1992

Signature with Date of Doctor/Health Officer: _____
 Dr. Anand K. Gupta, M.D., M.Ch., F.R.C.S. (Gen.)
 Signature with Date of Reporting Agency: _____

ANNEXURE-22

ENVIRONMENT POLICY

CORPORATE ENVIRONMENTAL POLICY OF THE COMPANY

The company (M/s. Iskon Istrips Pvt. Ltd.) is committed to promote all steps for protection of environment and promotion of sustainable development, and to abide by environmental norms and various conditions stipulated by the Govt. of India as well as State Govt of CG.

Environment Policy

Protection of environment is of prime concern and an important business objective of our company,

Our company is committed to;

- 1) Operate the manufacturing & other facilities in compliance with all applicable laws and regulations related to environment and health & safety of employees and surrounding communities.
- 2) Prepare and maintain site specific legal records listing all the applicable regulations and the compliance requirements.
- 3) Operate all the process plants in accordance to the CREP guidelines.
- 4) Continually improve the environmental performance of organizational processes and products through waste minimization and pollution abatement.
- 5) Minimize consumption of natural resources through the reduction, reuse or recycling of materials, as much as possible.
- 6) Encourage efficient use of Fuel, energy, water and utilities.
- 7) Purchase products and services, as far as possible, that do the least damage to the environment on a life cycle basis.
- 8) Promote environmental awareness among the employees and encourage them to work in an environmentally responsible manner.
- 9) Communicate the environmental commitment and performance of the organization to its clients, customers and the public.
- 10) Develop and maintain appropriate emergency and response programs where required by legislation or where significant health, safety or environmental hazards exist.
- 11) Develop and maintain greenery in and around plant and along the approach road.


M/s. Iskon Istrips Pvt. Ltd acknowledged the importance of the concept of inter-dependence of all sections of society. In particular, its focus revolves around the community residing in the immediate vicinity of our unit we will actively assist in improving the quality of life. In line with its abiding concern for preservation of the ecological balance and safeguarding the health and environment of the community, we will always actively demonstrate our action to protect the environment. Our company is deeply committed professional management based on philosophy of the best in business ethics.

**RESPONSIBILITIES OF ENVIRONMENTAL MANAGEMENT CELL (EMC)
ADDRESSED IN SOP'S**

M/s. Iskon Istrips Pvt. Ltd. shall have an organization structure to oversee the effective implementation of corporate Environmental policy. This structure shall define key responsibilities within the various levels of the organization for policy implementation and shall include involvement at all the levels throughout the organization.

The management shall ensure availability of resources essential to implement the corporate environment policy across its all operational and project units. Resources shall include human resources, organizational infrastructure, technology and financial resources. Roles and responsibilities shall be defined and documented to facilitate the effective implementation of the environment policy.

As part of the existing Board structure, Audit & Compliance reporting team shall also oversee the environmental status inclusive of the conditions prescribed under various environmental consents and clearances, as and when obtained from various State and Central Govt. authorities, as well as the corporate norms, standards and targets that exceed the legal compliance requirements. An Organization structure in this regard is shown below:



OVERALL ORGANIZATION STRUCTURE OF THE COMPANY

Documentation

The policy shall be made available on the company's website and also be available in hard copy. The planning, implementation and monitoring of the organizational environmental performance shall be documented. All achieved milestones will be supported by documentary evidence in the form of photographs, monitoring records and/or reports, wherever applicable

Transparency in the implementation of Environmental Policy

Monitoring will be conducted periodically as per relevant norms framed by CECB; CPCB and MoEFCC and all other statutory authorities. It shall serve to drive accountability and transparency and provides for learning to implement in future initiatives. Company shall implement a monitoring mechanism by its defined organizational structure with clear roles & responsibilities for every operational and project units by creating a register specifying all the regulatory compliances and clearances conditions that have been imposed by the authorities. Company shall also prepare Annual Environmental performance report and include it in its Annual Report.

Extract of the resolution passed by the Board of Directors of Iskon Istrips Pvt. Ltd at its meeting.

Audit & Review

Review and audit is essentially a management tool. However, its application is crucial at the operational level for verification and feedback on the effectiveness of organization system and environmental performance. Basically, auditing involves in the following items:

- Line management system
- awareness and training
- Procedures: standards, targets
- Plans: Waste, contingency, pollution control compliance
- Verify Env. impact assessment
- verify mitigation
- reporting and communication
- documentation
- feedback

Internal Audit:

A system of company auditing will be undertaken at each plant operation and includes the use of trained internal and external auditors. In addition, auditing should be undertaken to ensure compliance with all the applicable legislations.


Audit Type Frequency:

- Internal: - From other site in-charge every one year.
- External - independent expert every 3 year.

The company shall depute internal / external auditors who are trained and certified as competent EMS auditors by an independent and external standard organization. The results of monitoring and auditing shall be regularly reported through the senior management team to ensure that action items are addressed.

ANNEXURE-23

COPY OF EMC



ANNEXURE-24

STEP TOWARDS COMPLIANCE OF CREP GUIDELINE

STEPS TOWARDS COMPLIANCE OF CREP GUIDELINES

For M/S. ISKCON STRIPS PVT. LTD.

1. Solid Waste/ Hazardous Waste Management:

Generation and management of waste is given as below:

1	Misc Rolls/ Misc rust/ Defective Billet over	Sold to the induction furnace unit for melting.
2	Mill Scale	This is being sold to other industries as raw material.
3	Use oil and Lubricant	These are being collected in MCS Drum and sold to authorized parties.
4	Coal Ash	Sold to the silencers and sheds.

2. Water conservation/ Water Pollution

Process of industry does not require water other than cooling purpose. The cooling is being done in closed circuit cooling system where 100% water is being recycled. Only evaporation loss will be there. There is no industrial effluent generation.

The domestic waste water is being treated through septic tank and soak pit.

Zero discharge is being always maintained.

3. Air Pollution Monitoring

We have provide adequate air pollution control arrangements like , wet scrubber of adequate capacity installed in milling mill with 50 meter stack height to ensure particulate matter emission less than 30 mg/Nm³ all the time.

The air pollution mainly will Particulate emission which is being control in Reheating Furnace through Wet scrubbers and Chimney. The emission level is being kept within norms of 30 mg/Nm³. Online Stack monitoring is adopted.

Adequate measures have been taken to control fugitive emission as :

1. Internal roads used for transportation has been made paved.
2. Water sprinkler in road and material storage area has been provided.
3. Raw material and waste are being kept within covered shed.
4. Transportation of material is being done in properly covered manner.
5. Good housekeeping practice has been adopted.
6. In plant premises speed limit is strictly followed.
7. The vehicle with P.U.C is being used for transportation.
8. No vehicle older than 15 years allowed for transportation.
9. Green belt also helps to control fugitive emission.

4. Rain Water Harvesting

The company have already adopted Rain Water harvesting, and have implemented rain water harvesting structures.

5. Reduction in Green House Gases:

The management is committed to GHG emission reduction, for which company have adopted high efficiency re-heating furnaces. The company is working on reduction in energy consumption to reduced GIIG emission. GIIG emission inventory and road map of the GIIG emission reduction has been prepared for the unit.

6. Reduction in Power consumption/ optimization of energy efficiency:

The technological innovations in Rolling Mill will be adopted by which it will result in reduction in power consumption. The unit is always looking for technological advancement to reduce power consumption

7. Monitoring and Analysis of Air and Water:

Fugitive emissions, AAQ, Stack emission, Water, Noise Monitoring and Analysis is done in the plant premises through NABL accredited laboratories. Although water is not required in process, but water sampling is done on twice in yearly basis.

ANNEXURE-25

COPY OF LOCAL PEOPLE EMPLOYMENT

Sl. No.	NAME	POST	REGISTRATION NO.	DATE OF BIRTH	EDUCATIONAL QUALIFICATION	EXPERIENCE	REMARKS	STATUS
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

16
17
18
19
20
21
22
23
24
25
26
27
28
29
30

ANNEXURE-26

PHOTOGRAPH OF ADVERTISE IN LOCAL NEWS PAPER

